



Distributor

Advantages



EQUIPMENT

Modern factory building
advanced machine equipment



INSPECTION SYSTEM

Mature inspection system,professional
engineers,advanced inspection instruments



SERVICE TEAM

Experienced and professional service
team,mastering multiple languages



SALES NET

JAMA brand agents and distributors cover
more than 50 countries and regions around
the world



OEM EXPERIENCE

Offer technical support and product
application for various famous equi-
pment manufacturer



INVENTORY SYSTEM

More than 8000 m² warehouse,thousands
of product categories stock



COMPANY CULTURE

Unity and harmonious,hard-working
and rigorous teamwork,be faithful and
responsible for partners




ENTERPRISE PROSPECT

To be an international influential bearing
brand and valuable corporate citizen, to
achieve employees and partners


SUCP200.....	01
SUCP300.....	02
SUCPA200.....	03
SUCPW200.....	04
SUCTB200.....	05
SUCF200.....	06
SUCF300.....	07
SUCFL200.....	08
SUCFL300.....	09
SUCFC200.....	10
SUCT200.....	11
SUCT300.....	12
SUCHA200.....	13
SUCFA200.....	14
SUCFB200.....	15
SUCFK200.....	16
SKFL000.....	17
SKP000.....	17
SUFL000.....	18
SUP000.....	18
SSBPP200.....	19
SSBPFL200.....	20
SSBPF200.....	21
SSBPFT200.....	22
UCPPL200.....	23
UCFPL200.....	24
UCFLPL200.....	25
UCFCPL200.....	26
UCTPL200.....	27
UCECHPL200.....	28
UCPAPL200.....	29
UCFBPL200.....	30
SUC200.....	31
SUC300.....	32
SHC200.....	33
SSER200.....	34
SSA200.....	35
SSB200.....	36
SK000.....	37
SU000.....	37

Stainless Steel Bearing Units




Bearing Unit No	Bore Dia		Dimensions(mm)										Bearing No.	Housing No.	Weight (kg)
	d		h	a	e	b	S ₁	S ₂	g	W	S	B			
	in	mm													
SUCP201 SUCP201-8 SUCP202 SUCP202-10 SUCP203 SUCP203-11	1/2 5/8 11/16	12 15 17	33.3	127	96	36	13	19	13	60	12.7	31	SUC201 SUC201-8 SUC202 SUC202-10 SUC203 SUC203-11	SP203	0.75
SUCP204 SUCP204-12	3/4	20	33.3	127	95	38	13	19	14	65	12.7	31	SUC204 SUC204-12	SP204	0.73
SUCP205 SUCP205-14 SUCP205-15 SUCP205-16	7/8 15/16 1	25	36.5	140	105	38	13	19	15	71	14.3	34.1	SUC205 SUC205-14 SUC205-15 SUC205-16	SP205	0.91
SUCP206 SUCP206-17 SUCP206-18 SUCP206-19 SUCP206-20	1-1/16 1-1/8 1-3/16 1-1/4	30	42.9	165	121	47	17	21	17	83	15.9	38.1	SUC206 SUC206-17 SUC206-18 SUC206-19 SUC206-20	SP206	1.32
SUCP207 SUCP207-20 SUCP207-21 SUCP207-22 SUCP207-23	1-1/4 1-5/16 1-3/8 1-7/16	35	47.6	167	127	48	17	21	18	93	17.5	42.9	SUC207 SUC207-20 SUC207-21 SUC207-22 SUC207-23	SP207	1.72
SUCP208 SUCP208-24 SUCP208-25	1-1/2 1-9/16	40	49.2	184	137	54	17	21	18	100	19.0	49.2	SUC208 SUC208-24 SUC208-25	SP208	2.14
SUCP209 SUCP209-26 SUCP209-27 SUCP209-28	1-5/8 1-11/16 1-3/4	45	54.0	190	146	54	17	21	20	106	19.0	49.2	SUC209 SUC209-26 SUC209-27 SUC209-28	SP209	2.45
SUCP210 SUCP210-29 SUCP210-30 SUCP210-31 SUCP210-32	1-13/16 1-7/8 1-15/16 2	50	57.2	206	159	60	20	25	22	114	19.0	51.6	SUC210 SUC210-29 SUC210-30 SUC210-31 SUC210-32	SP210	3.10
SUCP211 SUCP211-32 SUCP211-33 SUCP211-34 SUCP211-35	2 2-1/16 2-1/8 2-3/16	55	63.5	219	171	60	20	25	23	126	22.2	55.6	SUC211 SUC211-32 SUC211-33 SUC211-34 SUC211-35	SP211	3.85
SUCP212 SUCP212-36 SUCP212-37 SUCP212-38 SUCP212-39	2-1/4 2-5/16 2-3/8 2-7/16	60	69.8	241.	184	70	20	25	25	137	25.4	65.1	SUC212 SUC212-36 SUC212-37 SUC212-38 SUC212-39	SP212	5.10
SUCP213 SUCP213-40 SUCP213-41	2-1/2 2-9/16	65	76.2	265	203	70	25	30	27	150	25.4	65.1	SUC213 SUC213-40 SUC213-41	SP213	6.26
SUCP214 SUCP214-42 SUCP214-43 SUCP214-44	2-5/8 2-11/16 2-3/4	70	79.4	265	210	72	25	30	27	155	30.2	74.6	SUC214 SUC214-42 SUC214-43 SUC214-44	SP214	6.90
SUCP215 SUCP215-45 SUCP215-46 SUCP215-47 SUCP215-48	2-13/16 2-7/8 2-15/16 3	75	82.6	274	217	74	25	31	28	162	33.3	77.8	SUC215 SUC215-45 SUC215-46 SUC215-47 SUC215-48	SP215	7.62
SUCP216 SUCP216-50	3-1/8	80	88.9	292	232	78	25	31	30	172	33.3	82.6	SUC216 SUC216-50	SP216	9.03
SUCP217 SUCP217-52	3-1/4	85	95.2	309	247	83	25	31	32	186	34.1	85.7	SUC217 SUC217-52	SP217	11.28
SUCP218 SUC218-56	3-1/2	90	101.6	326	262	88	27	36	33	198	39.7	96	SUC218 SUC218-56	SP218	13.45

Stainless Steel Bearing Units




Bearing Unit No	Bore Dia		Dimensions(mm)										Bearing No.	Housing No.	Weight (kg)
	d		h	a	e	b	S ₁	S ₂	g	W	S	B			
	in	mm													
SUCP305 SUCP305-14 SUCP305-15 SUCP305-16	7/8 15/16 1	25	45	175	132	45	17	20	15	85	15	38.0	SUC305 SUC305-14 SUC305-15 SUC305-16	SP305	1.52
SUCP306 SUCP306-18 SUCP306-19	1-1/8 1-3/16	30	50	180	140	50	17	20	18	95	17	43	SUC306 SUC306-18 SUC306-19	SP306	1.92
SUCP307 SUCP307-20 SUCP307-21 SUCP307-22	1-1/4 1-5/16 1-3/8	35	56	210	160	56	17	25	20	106	19.0	48	SUC307 SUC307-20 SUC307-21 SUC307-22	SP307	2.66
SUCP308 SUCP308-24 SUCP308-25	1-1/2 1-9/16	40	60	220	170	60	17	27	22	116	19.0	52	SUC308 SUC308-24 SUC308-25	SP308	3.50
SUCP309 SUCP309-26 SUCP309-27 SUCP309-28	1-5/8 1-11/16 1-3/4	45	67	245	190	67	20	30	24	129	22	57	SUC309 SUC309-26 SUC309-27 SUC309-28	SP309	4.68
SUCP310 SUCP310-30 SUCP310-31	1-7/8 1-15/16	50	75	275	212	75	20	35	27	143	22	61	SUC310 SUC310-30 SUC310-31	SP310	6.44
SUCP311 SUCP311-32 SUCP311-34 SUCP311-35	2 2-1/8 2-3/16	55	80	310	236	80	20	38	30	154	25	66	SUC311 SUC311-32 SUC311-34 SUC311-35	SP311	7.69
SUCP312 SUCP312-36 SUCP312-38 SUCP312-39	2-1/4 2-3/8 2-7/16	60	85	330	250	85	25	38	32	165	26	71	SUC312 SUC312-36 SUC312-38 SUC312-39	SP312	9.40
SUCP313 SUCP313-40	2-1/2	65	90	340	260	90	25	38	33	176	30	75	SUC313 SUC313-40	SP313	11.70
SUCP314 SUCP314-44	2-3/4	70	95	360	280	90	27	40	35	187	33	78	SUC314 SUC314-44	SP314	13.40
SUCP315 SUCP315-48	3	75	100	380	290	100	27	40	35	198	32	82	SUC315 SUC315-48	SP315	15.40
SUCP316 SUCP316-50	3-1/8	80	106	400	300	110	27	40	40	210	34	86	SUC316 SUC316-50	SP316	18.95
SUCP317 SUCP317-52	3-1/4	85	112	420	320	110	33	45	40	220	40	96	SUC317 SUC317-52	SP317	21.50
SUCP318 SUCP318-56	3-1/2	90	118	430	330	110	33	45	45	235	40	96	SUC318 SUC318-56	SP318	24.70
SUCP319 SUCP319-60	3-3/4	95	125	470	360	120	36	50	45	250	41	103	SUC319 SUC319-60	SP319	29.75
SUCP320 SUCP320-64	4	100	140	490	380	120	36	50	50	275	42	108	SUC320 SUC320-64	SP320	37.28
SUCP321	/	105	140	490	380	120	36	50	50	280	44	112	SUC321	SP321	37.30
SUCP322	/	110	150	520	400	140	40	55	55	300	46	117	SUC322	SP322	46.50
SUCP324	/	120	160	570	450	140	40	55	65	320	51	126	SUC324	SP324	57.70
SUCP326	/	130	180	600	480	140	40	55	75	355	54	135	SUC326	SP326	75.30
SUCP328	/	140	200	620	500	140	40	55	75	390	59	145	SUC328	SP328	92.90

Stainless Steel Bearing Units




Bearing Unit No	Bore Dia		Dimensions(mm)										Bearing No.	Housing No.	Weight (kg)
	d		h	a	e	b	g	W	F	t	S	B			
	in	mm													
SUCPA201 SUCPA201-8 SUCPA202 SUCPA202-10 SUCPA203 SUCPA203-11	1/2 5/8 11/16	12 15 17	30.2	76	52	40	11	62	13	M10	12.7	31	SUC201 SUC201-8 SUC202 SUC202-10 SUC203 SUC203-11	SPA203	0.60
SUCPA204 SUCPA204-12	3/4	20	30.2	76	52	40	11	62	13	M10	12.7	31	SUC204 SUC204-12	SPA204	0.57
SUCPA205 SUCPA205-14 SUCPA205-15 SUCPA205-16	7/8 15/16 1	25	36.5	84	56	38	12	72	15	M10	14.3	34.1	SUC205 SUC205-14 SUC205-15 SUC205-16	SPA205	0.81
SUCPA206 SUCPA206-17 SUCPA206-18 SUCPA206-19 SUCPA206-20	1-1/16 1-1/8 1-3/16 1-1/4	30	42.9	94	66	50	12	84	18	M14	15.9	38.1	SUC206 SUC206-17 SUC206-18 SUC206-19 SUC206-20	SPA206	1.17
SUCPA207 SUCPA207-20 SUCPA207-21 SUCPA207-22 SUCPA207-23	1-1/4 1-5/16 1-3/8 1-7/16	35	47.6	109	80	55	13	95	20	M14	17.5	42.9	SUC207 SUC207-20 SUC207-21 SUC207-22 SUC207-23	SPA207	1.65
SUCPA208 SUCPA208-24 SUCPA208-25	1-1/2 1-9/16	40	49.2	116	84	58	13	100	20	M14	19.0	49.2	SUC208 SUC208-24 SUC208-25	SPA208	1.90
SUCPA209 SUCPA209-26 SUCPA209-27 SUCPA209-28	1-5/8 1-11/16 1-3/4	45	54.2	120	90	60	13	108	25	M14	19.0	49.2	SUC209 SUC209-26 SUC209-27 SUC209-28	SPA209	2.17
SUCPA210 SUCPA210-29 SUCPA210-30 SUCPA210-31 SUCPA210-32	1-13/16 1-7/8 1-15/16 2	50	57.2	130	94	64	14	116	25	M16	19.0	51.6	SUC210 SUC210-29 SUC210-30 SUC210-31 SUC210-32	SPA210	2.73
SUCPA211 SUCPA211-32 SUCPA211-33 SUCPA211-34 SUCPA211-35	2 2-1/16 2-1/8 2-3/16	55	63.5	140	104	66	14	125	25	M16	22.2	55.6	SUC211 SUC211-32 SUC211-33 SUC211-34 SUC211-35	SPA211	3.37
SUCPA212 SUCPA212-36 SUCPA212-37 SUCPA212-38 SUCPA212-39	2-1/4 2-5/16 2-3/8 2-7/16	60	69.9	150	114	68	15	138	25	M16	25.4	65.1	SUC212 SUC212-36 SUC212-37 SUC212-38 SUC212-39	SPA212	4.37
SUCPA213 SUCPA213-40 SUCPA213-41	2-1/2 2-9/16	65	76.2	160	124	70	15	150	25	M16	25.4	65.1	SUC213 SUC213-40 SUC213-41	SPA213	5.36

Stainless Steel Bearing Units




Bearing Unit No	Bore Dia		Dimensions(mm)										Bearing No.	Housing No.	Weight (kg)
	d		h	a	e	b	g	W	F	t	S	B			
	in	mm													
SUCPW201 SUCPW201-8 SUCPW202 SUCPW202-10 SUCPW203 SUCPW203-11	1/2 5/8 11/16	12 15 17	33.3	65	50.8	32	11	64	13	M8	12.7	31	SUC201 SUC201-8 SUC202 SUC202-10 SUC203 SUC203-11	SPW203	0.70
SUCPW204 SUCPW204-12	3/4	20	33.3	65	50.8	32	11	64	13	M8	12.7	31	SUC204 SUC204-12	SPW204	0.66
SUCPW205 SUCPW205-14 SUCPW205-15 SUCPW205-16	7/8 15/16 1	25	36.5	70	50.8	36	12	70	13	M10	14.3	34.1	SUC205 SUC205-14 SUC205-15 SUC205-16	SPW205	0.84
SUCPW206 SUCPW206-17 SUCPW206-18 SUCPW206-19 SUCPW206-20	1-1/16 1-1/8 1-3/16 1-1/4	30	42.9	98	76.2	38	12	82	16	M10	15.9	38.1	SUC206 SUC206-17 SUC206-18 SUC206-19 SUC206-20	SPW206	1.48
SUCPW207 SUCPW207-20 SUCPW207-21 SUCPW207-22 SUCPW207-23	1-1/4 1-5/16 1-3/8 1-7/16	35	47.6	103	82.6	45	17	93	19	M10	17.5	42.9	SUC207 SUC207-20 SUC207-21 SUC207-22 SUC207-23	SPW207	1.94
SUCPW208 SUCPW208-24 SUCPW208-25	1-1/2 1-9/16	40	49.2	116	88.9	47	12	99	19	M12	19.0	49.2	SUC208 SUC208-24 SUC208-25	SPW208	2.40
SUCPW209 SUCPW209-26 SUCPW209-27 SUCPW209-28	1-5/8 1-11/16 1-3/4	45	53.9	120	95.3	48	12	107	19	M12	19.0	49.2	SUC209 SUC209-26 SUC209-27 SUC209-28	SPW209	2.70
SUCPW210 SUCPW210-29 SUCPW210-30 SUCPW210-31 SUCPW210-32	1-13/16 1-7/8 1-15/16 2	50	57.2	135	101.6	54	14	115	22	M16	19.0	51.6	SUC210 SUC210-29 SUC210-30 SUC210-31 SUC210-32	SPW210	3.22

Stainless Steel Bearing Units




Bearing Unit No	Bore Dia		Dimensions(mm)										Bearing No.	Housing No.	Weight (kg)
	d		h	a	e	b	g	W	F	t	S	B			
	in	mm													
SUCTB201 SUCTB201-8 SUCTB202 SUCTB202-10 SUCTB203 SUCTB203-11	1/2 5/8 11/16	12 15 17	33.3	73	50.8	38	11	65	12.7	3/8-16	12.7	31	SUC201 SUC201-8 SUC202 SUC202-10 SUC203 SUC203-11	STB203	0.70
SUCTB204 SUCTB204-12	3/4	20	33.3	73	50.8	38	11	65	12.7	3/8-16	12.7	31	SUC204 SUC204-12	STB204	0.72
SUCTB205 SUCTB205-14 SUCTB205-15 SUCTB205-16	7/8 15/16 1	25	36.5	76	50.8	38	12	71	12.7	3/8-16	14.3	34.1	SUC205 SUC205-14 SUC205-15 SUC205-16	STB205	0.93
SUCTB206 SUCTB206-17 SUCTB206-18 SUCTB206-19 SUCTB206-20	1-1/16 1-1/8 1-3/16 1-1/4	30	42.9	102	76.2	38	12	87	16	7/16-14	15.9	38.1	SUC206 SUC206-17 SUC206-18 SUC206-19 SUC206-20	STB206	1.41
SUCTB207 SUCTB207-20 SUCTB207-21 SUCTB207-22 SUCTB207-23	1-1/4 1-5/16 1-3/8 1-7/16	35	47.6	108	82.6	48	12	95	19	1/2-13	17.5	42.9	SUC207 SUC207-20 SUC207-21 SUC207-22 SUC207-23	STB207	1.86
SUCTB208 SUCTB208-24 SUCTB208-25	1-1/2 1-9/16	40	49.2	117	88.9	48	12	100	19	1/2-13	19.0	49.2	SUC208 SUC208-24 SUC208-25	STB208	2.33
SUCTB209 SUCTB209-26 SUCTB209-27 SUCTB209-28	1-5/8 1-11/16 1-3/4	45	54.0	127	95.3	51	12	108	19	1/2-13	19.0	49.2	SUC209 SUC209-26 SUC209-27 SUC209-28	STB209	2.79
SUCTB210 SUCTB210-29 SUCTB210-30 SUCTB210-31 SUCTB210-32	1-13/16 1-7/8 1-15/16 2	50	57.2	140	101.6	51	14	117.5	22	5/8-11	19.0	51.6	SUC210 SUC210-29 SUC210-30 SUC210-31 SUC210-32	STB210	3.18

Stainless Steel Bearing Units




Bearing Unit No	Bore Dia		Dimensions(mm)								Bearing No.	Housing No.	Weight (kg)
	d		a	e	1	g	L	N	E	S			
	in	mm											
SUCF201 SUCF201-8 SUCF202 SUCF202-10 SUCF203 SUCF203-11	1/2 5/8 11/16	12 15 17	86	64	15	11	25.5	12	33.3	12.7	SUC201 SUC201-8 SUC202 SUC202-10 SUC203 SUC203-11	SF203	1.00
SUCF204 SUCF204-12	3/4	20	86	64	15	12	25.5	12	33.3	12.7	SUC204-12 SUC204	SF204	0.95
SUCF205 SUCF205-14 SUCF205-15 SUCF205-16	7/8 15/16 1	25	95	70	16	14	27	12	35.8	14.3	SUC205 SUC205-14 SUC205-15 SUC205-16	SF205	1.20
SUCF206 SUCF206-17 SUCF206-18 SUCF206-19 SUCF206-20	1-1/16 1-1/8 1-3/16 1-1/4	30	108	83	18	14.3	31	12	40.2	15.9	SUC206 SUC206-17 SUC206-18 SUC206-19 SUC206-20	SF206	1.89
SUCF207 SUCF207-20 SUCF207-21 SUCF207-22 SUCF207-23	1-1/4 1-5/16 1-3/8 1-7/16	35	117	92	19	15.5	34	14	44.4	17.5	SUC207 SUC207-20 SUC207-21 SUC207-22 SUC207-23	SF207	2.39
SUCF208 SUCF208-24 SUCF208-25	1-1/2 1-9/16	40	130	102	21	15.5	36	16	51.2	19	SUC208 SUC208-24 SUC208-25	SF208	2.79
SUCF209 SUCF209-26 SUCF209-27 SUCF209-28	1-5/8 1-11/16 1-3/4	45	137	105	22	17.5	38	16	52.2	19	SUC209 SUC209-26 SUC209-27 SUC209-28	SF209	3.18
SUCF210 SUCF210-29 SUCF210-30 SUCF210-31 SUCF210-32	1-13/16 1-7/8 1-15/16 2	50	143	111	22	17.5	40	16	54.6	19	SUC210 SUC210-29 SUC210-30 SUC210-31 SUC210-32	SF210	3.68
SUCF211 SUCF211-32 SUCF211-33 SUCF211-34 SUCF211-35	2 2-1/16 2-1/8 2-3/16	55	162	130	25	19.5	43	19	58.4	22.2	SUC211 SUC211-32 SUC211-33 SUC211-34 SUC211-35	SF211	3.40
SUCF212 SUCF212-36 SUCF212-37 SUCF212-38 SUCF212-39	2-1/4 2-5/16 2-3/8 2-7/16	60	175	143	29	19.5	48	19	68.7	25.4	SUC212 SUC212-36 SUC212-37 SUC212-38 SUC212-39	SF212	4.17
SUCF213 SUCF213-40 SUCF213-41	2-1/2 2-9/16	65	187	149	30	22	50	19	69.7	25.4	SUC213 SUC213-40 SUC213-41	SF213	5.32
SUCF214 SUCF214-42 SUCF214-43 SUCF214-44	2-5/8 2-11/16 2-3/4	70	193	152	31	23	54	19	75.4	30.2	SUC214 SUC214-42 SUC214-43 SUC214-44	SF214	5.92
SUCF215 SUCF215-45 SUCF215-46 SUCF215-47 SUCF215-48	2-13/16 2-7/8 2-15/16 3	75	200	159	34	23	56	19	78.5	33.3	SUC215 SUC215-45 SUC215-46 SUC215-47 SUC215-48	SF215	6.65
SUCF216 SUCF216-50	3-1/8	80	208	165	34	24	58	23	83.3	33.3	SUC216 SUC216-50	SF216	7.89
SUCF217 SUCF217-52	3-1/4	85	220	175	36	25	63	23	87.6	34.1	SUC217-52 SUC217	SF217	9.18
SUCF218 SUCF218-56	3-1/2	90	235	187	40	25	68	23	96.3	39.7	SUC218-56 SUC218	SF218	11.20

Stainless Steel Bearing Units




Bearing Unit No	Bore Dia		Dimensions(mm)								Bearing No.	Housing No.	Weight (kg)
	d		a	e	1	g	L	N	E	S			
	in	mm											
SUCF305 SUCF305-14 SUCF305-15 SUCF305-16	7/8 15/16 1	25	110	80	16	13	29	16	39	15	SUC305 SUC305-14 SUC305-15 SUC305-16	SF305	1.52
SUCF306 SUCF306-18 SUCF306-19	1-1/8 1-3/16	30	125	95	18	15	32	16	44	17	SUC306 SUC306-18 SUC306-19	SF306	1.92
SUCF307 SUCF307-20 SUCF307-21 SUCF307-22	1-1/4 1-5/16 1-3/8	35	135	100	20	16	36	19	49	19	SUC307 SUC307-20 SUC307-21 SUC307-22	SF307	2.66
SUCF308 SUCF308-24 SUCF308-25	1-1/2 1-9/16	40	150	112	23	17	40	19	56	19	SUC308 SUC308-24 SUC308-25	SF308	3.50
SUCF309 SUCF309-26 SUCF309-27 SUCF309-28	1-5/8 1-11/16 1-3/4	45	160	125	25	18	44	19	60	22	SUC309 SUC309-26 SUC309-27 SUC309-28	SF309	4.68
SUCF310 SUCF310-30 SUCF310-31	1-7/8 1-15/16	50	175	132	28	19	48	23	67	22	SUC310 SUC310-30 SUC310-31	SF310	6.44
SUCF311 SUCF311-32 SUCF311-34 SUCF311-35	2 2-1/8 2-3/16	55	185	140	30	20	52	23	71	25	SUC311 SUC311-32 SUC311-34 SUC311-35	SF311	7.69
SUCF312 SUCF312-36 SUCF312-38 SUCF312-39	2-1/4 2-3/8 2-7/16	60	195	150	33	22	56	23	78	26	SUC312 SUC312-36 SUC312-38 SUC312-39	SF312	9.40
SUCF313 SUCF313-40	2-1/2	65	208	166	33	22	58	23	78	30	SUC313 SUC313-40	SF313	11.70
SUCF314 SUCF314-44	2-3/4	70	226	178	36	25	61	25	81	33	SUC314 SUC314-44	SF314	13.40
SUCF315 SUCF315-48	3	75	236	184	39	25	66	25	89	32	SUC315 SUC315-48	SF315	15.40
SUCF316 SUCF316-50	3-1/8	80	250	196	38	27	68	31	90	34	SUC316 SUC316-50	SF316	14.75
SUCF317 SUCF317-52	3-1/4	85	260	204	44	27	74	31	100	40	SUC317 SUC317-52	SF317	17.70
SUCF318 SUCF318-56	3-1/2	90	280	216	44	30	76	35	100	40	SUC318 SUC318-56	SF318	21.10
SUCF319 SUCF319-60	3-3/4	95	290	228	59	30	94	35	121	41	SUC319 SUC319-60	SF319	23.25
SUCF320 SUCF320-64	4	100	310	242	59	32	94	38	125	42	SUC320 SUC320-64	SF320	26.28
SUCF321	/	105	310	242	59	32	94	38	127	44	SUC321	SF321	27.30
SUCR322	/	110	340	266	60	35	96	41	131	46	SUC322	SF322	37.50
SUCF324	/	120	370	290	65	40	110	41	140	51	SUC324	SF324	48.70
SUCR226	/	130	410	320	65	45	115	41	146	54	SUC326	SF326	62.30
SUCF329	/	140	450	350	75	55	125	41	161	59	SUC328	SF328	89.70

Stainless Steel Bearing Units




Bearing Unit No	Bore Dia		Dimensions(mm)									Bearing No.	Housing No.	Weight (kg)
	d		a	e	1	b	g	L	N	E	S			
	in	mm												
SUCFL201 SUCFL201-8 SUCFL202 SUCFL202-10 SUCFL203 SUCFL203-11	1/2 5/8 11/16	12 15 17	99	76.2	15	55	11	25.5	12	31	10	SUC201 SUC201-8 SUC202 SUC202-10 SUC203 SUC203-11	SFL203	0.56
SUCFL204 SUCFL204-12	3/4	20	113	90	15	60	11	25.5	12	33.3	12.7	SUC204 SUC204-12	SFL204	0.52
SUCFL205 SUCFL205-14 SUCFL205-15 SUCFL205-16	7/8 15/16 1	25	130	99	16	68	13	27	16	35.8	14.3	SUC205 SUC205-14 SUC205-15 SUC205-16	SFL205	0.64
SUCFL206 SUCFL206-17 SUCFL206-18 SUCFL206-19 SUCFL206-20	1-1/16 1-1/8 1-3/16 1-1/4	30	148	117	18	80	13	31	16	40.2	15.9	SUC206 SUC206-17 SUC206-18 SUC206-19 SUC206-20	SFL206	0.93
SUCFL207 SUCFL207-20 SUCFL207-21 SUCFL207-22 SUCFL207-23	1-1/4 1-5/16 1-3/8 1-7/16	35	161	130	19	90	15	34	16	44.4	17.5	SUC207 SUC207-20 SUC207-21 SUC207-22 SUC207-23	SFL207	1.20
SUCFL208 SUCFL208-24 SUCFL208-25	1-1/2 1-9/16	40	175	144	21	100	15	36	16	51.2	19	SUC208 SUC208-24 SUC208-25	SFL208	1.59
SUCFL209 SUCFL209-26 SUCFL209-27 SUCFL209-28	1-5/8 1-11/16 1-3/4	45	188	148.	22	108	16	38	19	52.2	19	SUC209 SUC209-26 SUC209-27 SUC209-28	SFL209	1.84
SUCFL210 SUCFL210-29 SUCFL210-30 SUCFL210-31 SUCFL210-32	1-13/16 1-7/8 1-15/16 2	50	197	157	22	115	16	40	19	54.6	19	SUC210 SUC210-29 SUC210-30 SUC210-31 SUC210-32	SFL210	2.15
SUCFL211 SUCFL211-32 SUCFL211-33 SUCFL211-34 SUCFL211-35	2 2-1/16 2-1/8 2-3/16	55	224	184	25	130	19	43	19	58.4	22.2	SUC211 SUC211-32 SUC211-33 SUC211-34 SUC211-35	SFL211	3.10
SUCFL212 SUCFL212-36 SUCFL212-37 SUCFL212-38 SUCFL212-39	2-1/4 2-5/16 2-3/8 2-7/16	60	250	202	29	140	20	48	23	68.7	25.4	SUC212 SUC212-36 SUC212-37 SUC212-38 SUC212-39	SFL212	3.99
SUCFL213 SUCFL213-40 SUCFL213-41	2-1/2 2-9/16	65	258	210	30	155	22	50	23	69.7	25.4	SUC213 SUC213-40 SUC213-41	SFL213	4.96
SUCFL214 SUCFL214-42 SUCFL214-43 SUCFL214-44	2-5/8 2-11/16 2-3/4	70	265	216	31	160	22	54	23	75.4	30.2	SUC214 SUC214-42 SUC214-43 SUC214-44	SFL214	5.60
SUCFL215 SUCFL215-45 SUCFL215-46 SUCFL215-47 SUCFL215-48	2-13/16 2-7/8 2-15/16 3	75	275	225	34	165	22	56	23	78.5	33.3	SUC215 SUC215-45 SUC215-46 SUC215-47 SUC215-48	SFL215	6.21
SUCFL216 SUCFL216-50	3-1/8	80	290	233	34	180	22	58	25	83.3	33.3	SUC216 SUC216-50	SFL216	7.69
SUCFL217 SUCFL217-52	3-1/4	85	305	248	36	190	24	63	25	87.6	34.1	SUC217 SUC217-52	SFL217	9.15
SUCFL218 SUCFL218-56	3-1/2	90	320	265	40	205	24	68	25	96.3	39.7	SUC218 SUC218-56	SFL218	10.95

Stainless Steel Bearing Units




Bearing Unit No	Bore Dia		Dimensions(mm)									Bearing No.	Housing No.	Weight (kg)
	d		a	e	1	b	g	L	N	E	S			
	in	mm												
SUCFL305 SUCFL305-14 SUCFL305-15 SUCFL305-16	7/8 15/16 1	25	150	113	16	80	13	29	19	39	15	SUC305 SUC305-14 SUC305-15 SUC305-16	SFL305	1.52
SUCFL306 SUCFL306-18 SUCFL306-19	1-1/8 1-3/16	30	180	134	18	90	15	32	23	44	17	SUC306 SUC306-18 SUC306-19	SFL306	1.92
SUCFL307 SUCFL307-20 SUCFL307-21 SUCFL307-22	1-1/4 1-5/16 1-3/8	35	185	141	20	100	16	36	23	49	19	SUC307 SUC307-20 SUC307-21 SUC307-22	SFL307	2.66
SUCFL308 SUCFL308-24 SUCFL308-25	1-1/2 1-9/16	40	200	158	23	112	17	40	23	56	19	SUC308 SUC308-24 SUC308-25	SFL308	3.50
SUCFL309 SUCFL309-26 SUCFL309-27 SUCFL309-28	1-5/8 1-11/16 1-3/4	45	230	177	25	125	18	44	25	60	22	SUC309 SUC309-26 SUC309-27 SUC309-28	SFL309	4.68
SUCFL310 SUCFL310-30 SUCFL310-31	1-7/8 1-15/16	50	240	187	28	140	19	48	25	67	22	SUC310 SUC310-30 SUC310-31	SFL310	6.44
SUCFL311 SUCFL311-32 SUCFL311-34 SUCFL311-35	2 2-1/8 2-3/16	55	250	198	30	150	20	52	25	71	25	SUC311 SUC311-32 SUC311-34 SUC311-35	SFL311	7.69
SUCFL312 SUCFL312-36 SUCFL312-38 SUCFL312-39	2-1/4 2-3/8 2-7/16	60	270	212	33	160	22	56	31	78	26	SUC312 SUC312-36 SUC312-38 SUC312-39	SFL312	9.40
SUCFL313 SUCFL313-40	2-1/2	65	295	240	33	175	25	58	31	78	30	SUC313 SUC313-40	SFL313	11.70
SUCFL314 SUCFL314-44	2-3/4	70	315	250	36	185	28	61	35	81	33	SUC314 SUC314-44	SFL314	13.40
SUCFL315 SUCFL315-48	3	75	320	260	39	195	30	66	35	89	32	SUC315 SUC315-48	SFL315	15.40
SUCFL316 SUCFL316-50	3-1/8	80	355	285	38	210	32	68	38	90	34	SUC316 SUC316-50	SFL316	13.75
SUCFL317 SUCFL317-52	3-1/4	85	370	300	44	220	32	74	38	100	40	SUC317 SUC317-52	SFL317	17.20
SUCFL318 SUCFL318-56	3-1/2	90	385	315	44	235	36	76	38	100	40	SUC318 SUC318-56	SFL318	20.10
SUCFL319 SUCFL319-60	3-3/4	95	405	330	59	250	40	94	41	121	41	SUC319 SUC319-60	SFL319	24.75
SUCFL320 SUCFL320-64	4	100	440	360	59	270	40	94	44	125	42	SUC320 SUC320-64	SFL320	27.58
SUCFL321	/	105	440	360	59	270	40	94	44	127	44	SUC321	SFL321	27.30
SUCFL322	/	110	470	390	60	300	42	96	44	131	46	SUC322	SFL322	34.70
SUCFL324	/	120	520	430	65	330	48	110	47	140	51	SUC324	SFL324	48.20
SUCFL326	/	130	550	460	65	360	50	115	47	146	54	SUC326	SFL326	61.30
SUCFL328	/	140	600	600	75	400	60	125	51	161	59	SUC328	SFL328	82.90

Stainless Steel Bearing Units




Bearing Unit No.	Bore Dia		Dimensions(mm)											Bearing No.	Housing No.	Weight (kg)
	d		a	P	e	1	f	N	g	j	k	Bi	S			
	in	mm														
SUCFC201 SUCFC201-8 SUCFC202 SUCFC202-10 SUCFC203 SUCFC203-11	1/2 5/8 11/16	12 15 17	100	78	55.1	10	62	12	20.5	5	7	31	12.7	SUC201 SUC201-8 SUC202 SUC202-10 SUC203 SUC203-11	SFC203	1.00
SUCFC204 SUCFC204-12	3/4	20	100	78	55.1	10	62	12	20.5	5	7	31	12.7	SUC204 SUC204-12	SFC204	0.96
SUCFC205 SUCFC205-14 SUCFC205-15 SUCFC205-16	7/8 15/16 1	25	115	90	63.6	10	70	12	21	6	7	34.1	14.3	SUC205 SUC205-14 SUC205-15 SUC205-16	SFC205	1.24
SUCFC206 SUCFC206-17 SUCFC206-18 SUCFC206-19 SUCFC206-20	1-1/16 1-1/8 1-3/16 1-1/4	30	125	100	70.7	10	80	12	23	8	8	38.1	15.9	SUC206 SUC206-17 SUC206-18 SUC206-19 SUC206-20	SFC206	1.66
SUCFC207 SUCFC207-20 SUCFC207-21 SUCFC207-22 SUCFC207-23	1-1/4 1-5/16 1-3/8 1-7/16	35	135	110	77.8	11	90	14	26	8	9	42.9	17.5	SUC207 SUC207-20 SUC207-21 SUC207-22 SUC207-23	SFC207	2.11
SUCFC208 SUCFC208-24 SUCFC208-25	1-1/2 1-9/16	40	145	120	84.8	11	100	14	26	10	9	49.2	19	SUC208 SUC208-24 SUC208-25	SFC208	2.48
SUCFC209 SUCFC209-26 SUCFC209-27 SUCFC209-28	1-5/8 1-11/16 1-3/4	45	160	132	93.3	10	105	16	26	12	14	49.2	19	SUC209 SUC209-26 SUC209-27 SUC209-28	SFC209	3.35
SUCFC210 SUCFC210-29 SUCFC210-30 SUCFC210-31 SUCFC210-32	1-13/16 1-7/8 1-15/16 2	50	165	138	97.6	10	110	16	28	12	14	51.6	19	SUC210 SUC210-29 SUC210-30 SUC210-31 SUC210-32	SFC210	3.58
SUCFC211 SUCFC211-32 SUCFC211-33 SUCFC211-34 SUCFC211-35	2 2-1/16 2-1/8 2-3/16	55	185	150	106.1	13	125	19	31	12	15	55.6	22.2	SUC211 SUC211-32 SUC211-33 SUC211-34 SUC211-35	SFC211	5.07
SUCFC212 SUCFC212-36 SUCFC212-37 SUCFC212-38 SUCFC212-39	2-1/4 2-5/16 2-3/8 2-7/16	60	195	160	113.1	17	135	19	36	12	15	65.1	25.4	SUC212 SUC212-36 SUC212-37 SUC212-38 SUC212-39	SFC212	5.97
SUCFC213 SUCFC213-40 SUCFC213-41	2-1/2 2-9/16	65	205	170	120.2	16	145	19	36	14	15	65.1	25.4	SUC213 SUC213-40 SUC213-41	SFC213	6.50
SUCFC214 SUCFC214-42 SUCFC214-43 SUCFC214-44	2-5/8 2-11/16 2-3/4	70	215	177	125.1	17	150	19	40	14	18	74.6	30.2	SUC214 SUC214-42 SUC214-43 SUC214-44	SFC214	7.86
SUCFC215 SUCFC215-45 SUCFC215-46 SUCFC215-47 SUCFC215-48	2-13/16 2-7/8 2-15/16 3	75	220	184	130.1	18	160	19	40	16	18	77.8	33.3	SUC215 SUC215-45 SUC215-46 SUC215-47 SUC215-48	SFC215	8.59
SUCFC216 SUCFC216-50	3-1/8	80	240	200	141.4	18	170	23	42	16	18	82.6	33.3	SUC216 SUC216-50	SFC216	10.52
SUCFC217 SUCFC217-52	3-1/4	85	250	208	147.1	18	180	23	45	18	20	85.7	34.1	SUC217 SUC217-52	SFC217	12.46
SUCFC218 SUCFC218-56	3-1/2	90	265	220	155.5	22	190	23	50	18	20	96	39.7	SUC218 SUC218-56	SFC218	14.83

Stainless Steel Bearing Units




	Bore Dia		Dimensions(mm)															Bearing No.	Housing No.	Weight (kg)
TYPE	d		w	h	g	b	N	q	0	a	e	p	j	k	L	B	S			
	in	mm																		
SUCT201 SUCT201-8 SUCT202 SUCT202-10 SUCT203 SUCT203-11	1/2 5/8 11/16	12 15 17	94	61	10	51	19	32	16	89	76	51	32	12	21	31	12.7	SUC201 SUC201-8 SUC202 SUC202-10 SUC203 SUC203-11	ST203	0.93
SUCT204 SUCT204-12	3/4	20	94	61	10	51	19	32	16	89	76	51	32	12	21	31	12.7	SUC204 SUC204-12	ST204	0.89
SUCT205 SUCT205-14 SUCT205-15 SUCT205-16	7/8 15/16 1	25	97	62	10	51	19	32	16	89	76	51	32	12	24	34.1	143	SUC205 SUC205-14 SUC205-15 SUC205-16	ST205	0.99
SUCT206 SUCT206-17 SUCT206-18 SUCT206-19 SUCT206-20	1-1/16 1-1/8 1-3/16 1-1/4	30	113	70	11	57	22	37	16	102	89	56	37	12	28	38.1	15.9	SUC206 SUC206-17 SUC206-18 SUC206-19 SUC206-20	ST206	1.46
SUCT207 SUCT207-20 SUCT207-21 SUCT207-22 SUCT207-23	1-1/4 1-5/16 1-3/8 1-7/16	35	130	78	14	64	22	37	16	102	89	64	37	12	30	42.9	17.5	SUC207 SUC207-20 SUC207-21 SUC207-22 SUC207-23	ST207	1.81
SUCT208 SUCT208-24 SUCT208-25	1-1/2 1-9/16	40	144	88	17	83	29	49	19	114	102	83	49	16	33	49.2	19	SUC208 SUC208-24 SUC208-25	ST208	2.68
SUCT209 SUCT209-26 SUCT209-27 SUCT209-28	1-5/8 1-11/16 1-3/4	45	145	87	17	83	29	49	19	117	102	83	49	16	35	49.2	19	SUC209 SUC209-26 SUC209-27 SUC209-28	ST209	2.99
SUCT210 SUCT210-29 SUCT210-30 SUCT210-31 SUCT210-32	1-13/16 1-7/8 1-15/16 2	50	150	90	17	86	29	49	19	117	102	83	49	16	37	51.6	19	SUC210 SUC210-29 SUC210-30 SUC210-31 SUC210-32	ST210	2.98
SUCT211 SUCT211-32 SUCT211-33 SUCT211-34 SUCT211-35	2 2-1/16 2-1/8 2-3/16	55	171	106	19	95	35	64	25	145	130	102	64	22	38	55.6	22.2	SUC211 SUC211-32 SUC211-33 SUC211-34 SUC211-35	ST211	4.52
SUCT212 SUCT212-36 SUCT212-37 SUCT212-38 SUCT212-39	2-1/4 2-5/16 2-3/8 2-7/16	60	194	119	19	102	35	64	32	145	130	102	64	22	42	65.1	25.4	SUC212 SUC212-36 SUC212-37 SUC212-38 SUC212-39	ST212	5.57
SUCT213 SUCT213-40 SUCT213-41	2-1/2 2-9/16	65	223	137	21	120	41	70	32	167	151	111	70	26	44	65.1	25.4	SUC213 SUC213-40 SUC213-41	ST213	7.6
SUCT214 SUCT214-42 SUCT214-43 SUCT214-44	2-5/8 2-11/16 2-3/4	70	223	137	21	120	41	70	32	167	151	111	70	26	46	74.6	30.2	SUC214 SUC214-42 SUC214-43 SUC214-44	ST214	7.66
SUCT215 SUCT215-45 SUCT215-46 SUCT215-47 SUCT215-48	2-13/16 2-7/8 2-15/16 3	75	232	140	21	121	41	70	32	167	151	111	70	26	48	77.8	33.3	SUC215 SUC215-45 SUC215-46 SUC215-47 SUC215-48	ST215	8.29
SUCT216 SUCT216-50	3-1/8	80	234	140	21	121	41	70	32	184	165	111	70	26	51	82.6	33.3	SUC216 SUC216-50	ST216	9.32
SUCT217 SUCT217-52	3-1/4	85	258	162	29	157	48	73	38	198	173	123	73	30	54	85.7	34.1	SUC217 SUC217-52	ST217	11.96
SUCT218 SUCT218-56	3-1/2	90	275	170	30	140	48	80	40	215	190	130	80	30	55	96	39.7	SUC218 SUC218-56	ST218	14.73

Stainless Steel Bearing Units




	Bore Dia		Dimensions(mm)															Bearing No.	Housing No.	Weight (kg)
TYPE	d		W	h	g	b	N	q	O	a	e	p	j	k	L	B	S			
	in	mm																		
SUCT305 SUCT305-14 SUCT305-15 SUCT305-16	7/8 15/16 1	25	122	76	12	65	26	36	16	89	80	62	36	12	26	38	15	SUC305 SUC305-14 SUC305-15 SUC305-16	ST305	1.4
SUCT306 SUCT306-18 SUCT306-19	1-1/8 1-3/16	30	137	85	14	74	28	41	18	100	90	70	41	16	28	43	17	SUC306 SUC306-18 SUC306-19	ST306	1.8
SUCT307 SUCT307-20 SUCT307-21 SUCT307-22	1-1/4 1-5/16 1-3/8	35	150	94	15	80	30	45	20	111	100	75	45	16	32	48	19	SUC307 SUC307-20 SUC307-21 SUC307-22	ST307	2.44
SUCT308 SUCT308-24 SUCT308-25	1-1/2 1-9/16	40	162	100	17	89	32	50	22	124	112	83	50	18	34	52	19	SUC308 SUC308-24 SUC308-25	ST308	3.04
SUCT309 SUCT309-26 SUCT309-27 SUCT309-28	1-5/8 1-11/16 1-3/4	45	178	110	18	97	34	55	24	138	125	90	55	18	38	57	22	SUC309 SUC309-26 SUC309-27 SUC309-28	ST309	3.33
SUCT310 SUCT310-30 SUCT310-31	1-7/8 1-15/16	50	191	117	20	106	37	61	27	151	140	98	61	20	40	61	22	SUC310 SUC310-30 SUC310-31	ST310	5
SUCT311 SUCT311-32 SUCT311-34 SUCT311-35	2 2-1/8 2-3/16	55	207	127	21	115	39	66	29	163	150	105	66	22	44	66	25	SUC311 SUC311-32 SUC311-34 SUC311-35	ST311	6.43
SUCT312 SUCT312-36 SUCT312-38 SUCT312-39	2-1/4 2-3/8 2-7/16	60	220	135	23	123	41	71	31	178	160	113	71	22	46	71	26	SUC312 SUC312-36 SUC312-38 SUC312-39	ST312	7.5
SUCT313 SUCT313-40	2-1/2	65	238	146	25	134	43	71	32	190	170	116	80	26	50	75	30	SUC313 SUC313-40	ST313	9.77
SUCT314 SUCT314-44	2-3/4	70	252	155	25	140	46	85	36	202	180	130	90	26	52	78	33	SUC314 SUC314-44	ST314	11.01
SUCT315 SUCT315-48	3	75	262	160	25	150	46	85	36	216	192	132	90	26	55	82	32	SUC315 SUC315-48	ST315	13.46
SUCT316 SUCT316-50	3-1/8	80	282	174	28	160	53	98	42	230	204	150	102	30	60	86	34	SUC316 SUC316-50	ST316	14.75
SUCT317 SUCT317-52	3-1/4	85	298	183	30	170	53	98	42	240	214	152	102	32	64	96	40	SUC317 SUC317-52	ST317	17.7
SUCT318 SUCT318-56	3-1/2	90	312	192	30	175	57	106	46	255	228	160	110	32	66	96	40	SUC318 SUC318-56	ST318	21.1
SUCT319 SUCT319-60	2-3/4	95	322	197	31	180	57	106	46	270	240	165	110	35	72	103	41	SUC319 SUC319-60	ST319	23.25
SUCT320 SUCT320-64	4	100	345	210	32	200	59	115	48	290	260	175	120	35	75	108	42	SUC320 SUC320-64	ST320	26.28
SUCT321	/	105	345	210	32	200	59	115	48	290	260	175	120	35	75	112	44	SUC321	ST321	27.3
SUCT322	/	110	385	235	38	215	65	125	52	320	285	185	130	38	80	117	46	SUC322	ST322	37.5
SUCT324	/	120	432	267	42	230	70	140	60	355	320	210	140	45	90	126	51	SUC324	ST324	48.7
SUCT326	/	130	465	285	45	240	75	150	65	385	350	220	150	50	100	135	54	SUC326	ST326	62.3
SUCT328	/	140	515	315	50	255	80	160	70	415	380	230	155	50	100	145	59	SUC328	ST328	89.7

Stainless Steel Bearing Units




	Bore Dia		Dimensions(mm)									Bearing No.	Housing No.	Weight (kg)
TYPE	d		a	D	W	h	C	j	N	B	S			
	in	mm												
SUCHA201 SUCHA201-8 SUCHA202 SUCHA202-10 SUCHA203 SUCHA203-11	1/2 5/8 11/16	12 15 17	64	40	96	64	0	19	PF3/4	31	12.7	SUC201 SUC201-8 SUC202 SUC202-10 SUC203 SUC203-11	SHA203	0.74
SUCHA204 SUCHA204-12	3/4	20	64	40	96	64	0	19	PF3/4	31	12.7	SUC204 SUC204-12	SHA204	0.69
SUCHA205 SUCHA205-14 SUCHA205-15 SUCHA205-16	7/8 15/16 1	25	78	40	103	64	0	19	PF3/4	34.1	14.3	SUC205 SUC205-14 SUC205-15 SUC205-16	SHA205	1
SUCHA206 SUCHA206-17 SUCHA206-18 SUCHA206-19 SUCHA206-20	1-1/16 1-1/8 1-3/16 1-1/4	30	78	40	103	64	0	19	PF3/4	38.1	15.9	SUC206 SUC206-17 SUC206-18 SUC206-19 SUC206-20	SHA206	1
SUCHA207 SUCHA207-20 SUCHA207-21 SUCHA207-22 SUCHA207-23	1-1/4 1-5/16 1-3/8 1-7/16	35	92	40	116	70	0	19	PF3/4	42.9	17.5	SUC207 SUC207-20 SUC207-21 SUC207-22 SUC207-23	SHA207	1.38
SUCHA208 SUCHA208-24 SUCHA208-25	1-1/2 1-9/16	40	96	40	121	73	2	19	PF3/4	49.2	19	SUC208 SUC208-24 SUC208-25	SHA208	1.64
SUCHA209 SUCHA209-26 SUCHA209-27 SUCHA209-28	1-5/8 1-11/16 1-3/4	45	108	48	136	82	5	21	PF1	49.2	19	SUC209 SUC209-26 SUC209-27 SUC209-28	SHA209	2.08
SUCHA210 SUCHA210-29 SUCHA210-30 SUCHA210-31 SUCHA210-32	1-13/16 1-7/8 1-15/16 2	50	118	48	142	83	5	21	PF1	51.6	19	SUC210 SUC210-29 SUC210-30 SUC210-31 SUC210-32	SHA210	2.61
SUCHA211 SUCHA211-32 SUCHA211-33 SUCHA211-34 SUCHA211-35	2 2-1/16 2-1/8 2-3/16	55	126	60	158	95	7	25	PF1-1/4	55.6	22.2	SUC211 SUC211-32 SUC211-33 SUC211-34 SUC211-35	SHA211	2.94
SUCHA212 SUCHA212-36 SUCHA212-37 SUCHA212-38 SUCHA212-39	2-1/4 2-5/16 2-3/8 2-7/16	60	142	60	173	102	9	28	PF1-1/4	65.1	25.4	SUC212 SUC212-36 SUC212-37 SUC212-38 SUC212-39	SHA212	4.4

Stainless Steel Bearing Units




	Bore Dia		Dimensions(mm)												Bearing No.	Housing No.	Weight (kg)
TYPE	d		a	e	1	g	L	b	f	N	N1	N2	E	S			
	in	mm															
SUCFA201 SUCFA201-8 SUCFA202 SUCFA202-10 SUCFA203 SUCFA203-11	1/2 5/8 11/16	12 15 17	98	78	15	12	26	60	50	10	10	40	33	13	SUC201 SUC201-8 SUC202 SUC202-10 SUC203 SUC203-11	SFA203	0.46
SUCFA204 SUCFA204-12	3/4	20	98	78	15	12	26	60	54	10	10	40	33	13	SUC204 SUC204-12	SFA204	0.46
SUCFA205 SUCFA205-14 SUCFA205-15 SUCFA205-16	7/8 15/16 1	25	125	99	16	14	27	68	65	12	13	51	36	14	SUC205 SUC205-14 SUC205-15 SUC205-16	SFA205	0.64
SUCFA206 SUCFA206-17 SUCFA206-18 SUCFA206-19 SUCFA206-20	1-1/16 1-1/8 1-3/16 1-1/4	30	144	117	18	14	31	80	72	12	13	58	40	16	SUC206 SUC206-17 SUC206-18 SUC206-19 SUC206-20	SFA206	0.92
SUCFA207 SUCFA207-20 SUCFA207-21 SUCFA207-22 SUCFA207-23	1-1/4 1-5/16 1-3/8 1-7/16	35	161	130	19	16	34	96	82	15	15	66	44	18	SUC207 SUC207-20 SUC207-21 SUC207-22 SUC207-23	SFA207	1.27
SUCFA208 SUCFA208-24 SUCFA208-25	1-1/2 1-9/16	40	175	144	21	16	38	105	87	15	15	71	51	19	SUC208 SUC208-24 SUC208-25	SFA208	1.62
SUCFA209 SUCFA209-26 SUCFA209-27 SUCFA209-28	1-5/8 1-11/16 1-3/4	45	181	148	22	18	40	111	90	17	17	72	52	19	SUC209 SUC209-26 SUC209-27 SUC209-28	SFA209	1.84
SUCFA210 SUCFA210-29 SUCFA210-30 SUCFA210-31 SUCFA210-32	1-13/16 1-7/8 1-15/16 2	50	190	157	22	18	40	116	94	17	17	76	55	19	SUC210 SUC210-29 SUC210-30 SUC210-31 SUC210-32	SFA210	2.1
SUCFA211 SUCFA211-32 SUCFA211-33 SUCFA211-34 SUCFA211-35	2 2-1/16 2-1/8 2-3/16	55	219	184	25	20	44	133	104	17	17	86	58	22	SUC211 SUC211-32 SUC211-33 SUC211-34 SUC211-35	SFA211	2.16

Stainless Steel Bearing Units




	Bore Dia		Dimensions(mm)														Bearing No.	Housing No.	Weight (kg)
TYPE	d		a	h	e	j	1	g	1	s	b	f	z	Bi	n				
	in	mm																	
SUCFB201 SUCFB201-8 SUCFB202 SUCFB202-9 SUCFB202-10 SUCFB203 SUCFB203-11	1/2 9/16 5/8 11/16	12 15 17	108	43	38	22	16	8	25	10	64	60	34	31	13	SUC201 SUC201-8 SUC202 SUC202-9 SUC202-10 SUC203 SUC203-11	SFB203	0.71	
SUCFB204 SUCFB204-12	3/4	20	108	43	38	22	16	8	25	10	64	60	34	31	13	SUC204 SUC204-12	SFB204	0.69	
SUCFB205 SUCFB205-13 SUCFB205-14 SUCFB205-15 SUCFB205-16	13/16 7/8 15/16 1	25	121	46	41	29	17	9.5	29	10	70	63	37	34	14	SUC205 SUC205-13 SUC205-14 SUC205-15 SUC205-16	SFB205	0.87	
SUCFB206 SUCFB206-17 SUCFB206-18 SUCFB206-19 SUCFB206-20	1-1/16 1-1/8 1-3/16 1-1/4	30	136	52	48	32	19	9.5	32	10	82	70	41	38	16	SUC206 SUC206-17 SUC206-18 SUC206-19 SUC206-20	SFB206	1.11	
SUCFB207 SUCFB207-20 SUCFB207-21 SUCFB207-22 SUCFB207-23	1-1/4 1-5/16 1-3/8 1-7/16	35	156	60	51	32	21	13	37	13	95	83	46	43	18	SUC207 SUC207-20 SUC207-21 SUC207-22 SUC207-23	SFB207	1.27	
SUCFB208 SUCFB208-24 SUCFB208-25	1-1/2 1-9/16	40	164	60	50	41	21	17	36	12	100	78	51	49	19	SUC208 SUC208-24 SUC208-25	SFB208	1.54	
SUCFB209 SUCFB209-26 SUCFB209-27 SUCFB209-28	1-5/8 1-11/16 1-3/4	45	174	65	54	43	22	18	38	12	106	80	52	49	19	SUC209 SUC209-26 SUC209-27 SUC209-28	SFB209	2.36	
SUCFB210 SUCFB210-29 SUCFB210-30 SUCFB210-31 SUCFB210-32	1-13/16 1-7/8 1-15/16 2	50	190	75	70	41	22	13	38	13	118	102	54	52	19	SUC210 SUC210-29 SUC210-30 SUC210-31 SUC210-32	SFB210	2.38	

Stainless Steel Bearing Units




	Bore Dia		Dimensions(mm)														Bearing No.	Housing No.	Weight (kg)
TYPE	d		a	h	e	j	1	g	1	s	b	f	z	Bi	n				
	in	mm																	
SUCFK201 SUCFK201-8 SUCFK202 SUCFK202-9 SUCFK202-10 SUCFK203 SUCFK203-11	1/2 9/16 5/8 11/16	12 15 17	 110 	 42 	 32 	 27 	 15 	 13 	 26 	 10 	 62 	 52 	 33 	 31 	13	SUC201 SUC201-8 SUC202 SUC202-9 SUC202-10 SUC203 SUC203-11	SFK203	0.53	
SUCFK204 SUCFK204-12	3/4	20	110	42	32	27	15	13	26	10	62	52	33	31	13	SUC204 SUC204-12	SFK204	0.51	
SUCFK205 SUCFK205-13 SUCFK205-14 SUCFK205-15 SUCFK205-16	13/16 7/8 15/16 1	25	116	45	34	27	16	13	27	10	68	56	36	34	14	SUC205 SUC205-13 SUC205-14 SUC205-15 SUC205-16	SFK205	0.6	
SUCFK206 SUCFK206-17 SUCFK206-18 SUCFK206-19 SUCFK206-20	1-1/16 1-1/8 1-3/16 1-1/4	30	130	50	40	29	18	13	31	10	78	65	40	38	16	SUC206 SUC206-17 SUC206-18 SUC206-19 SUC206-20	SFK206	0.67	
SUCFK207 SUCFK207-20 SUCFK207-21 SUCFK207-22 SUCFK207-23	1-1/4 1-5/16 1-3/8 1-7/16	35	144	55	46	32	19	15	34	10	90	70	44	43	18	SUC207 SUC207-20 SUC207-21 SUC207-22 SUC207-23	SFK207	0.81	
SUCFK208 SUCFK208-24 SUCFK208-25	1-1/2 1-9/16	40	164	60	50	41	21	16	36	12	100	78	51	49	19	SUC208 SUC208-24 SUC208-25	SFK208	0.75	
SUCFK209 SUCFK209-26 SUCFK209-27 SUCFK209-28	1-5/8 1-11/16 1-3/4	45	174	65	54	43	22	18	38	12	106	80	52	49	19	SUC209 SUC209-26 SUC209-27 SUC209-28	SFK209	1.5	
SUCFK210 SUCFK210-29 SUCFK210-30 SUCFK210-31 SUCFK210-32	1-13/16 1-7/8 1-15/16 2	50	184	68	58	46	22	18	40	12	112	86	55	52	19	SUC210 SUC210-29 SUC210-30 SUC210-31 SUC210-32	SFK210	1.7	

Stainless Steel Bearing Units




Bearing Unit No.	Bore Dia d mm	Dimensions (mm)										Bearing No.	Housing No.	Bolt Used
		H	J	A1	A2	A	N	L	A0	B1	S			
SKFL000	20	60	45	5.5	5.5	11.5	7	36	15.5	14	4	SK000	SFL000	M6
SKFL001	25	63	48	5.5	5.5	11.5	7	38	15.5	14.5	4	SK001	SFL001	M6
SKFL002	30	67	53	6.5	6.5	13	7	42	17.5	16.5	4.5	SK002	SFL002	M6
SKFL003	35	71	56	7	7	14	7	46	18.5	17.5	5	SK003	SFL003	M6
SKFL004	40	90	71	8	8	16	10	55	22	21	6	SK004	SFL004	M8
SKFL005	45	95	75	8	8	16	10	60	23.5	22.5	6	SK005	SFL005	M8
SKFL006	50	112	85	9	9	18	13	70	26	24.5	6.5	SK006	SFL006	M10
SKFL007	60	122	95	10	10	20	13	80	31.5	29.5	7	SK007	SFL007	M10




Bearing Unit No.	Bore Dia	Dimensions (mm)									Bearin g No.	Housin g No.	Bolt Used
	d	H	L	J	A	N	H1	H2	B1	S			
	mm												
SKP000	10	18	67	53	16	7	6	35	14	4	SK000	SP000	M6
SKP001	12	19	71	56	16	7	6	38	14.5	4	SK001	SP001	M6
SKP002	15	22	80	63	16	7	7	43	16.5	4.5	SK002	SP002	M6
SKP003	17	24	85	67	18	7	7	47	17.5	5	SK003	SP003	M6
SKP004	20	28	100	80	20	10	9	55	21	6	SK004	SP004	M8
SKP005	25	32	112	90	20	10	10	62	22.5	6	SK005	SP005	M8
SKP006	30	36	132	106	26	13	11	70	24.5	6.5	SK006	SP006	M10
SKP007	35	40	150	118	26	13	13	80	29.5	7	SK007	SP007	M10

Stainless Steel Bearing Units




Bearing Unit No.	Bore Dia d mm	Dimensions (mm)										Bearing No.	Housing No.	Bolt Used
		H	J	A1	A2	A	N	L	B1	B2	S			
SUFL000	10	60	45	5.5	5.5	11.5	7	36	17.5	11	4	SU000	SFL000	M6
SUFL001	12	63	48	5.5	5.5	11.5	7	38	17.5	11	4	SU001	SFL001	M6
SUFL002	15	67	53	6.5	6.5	13	7	42	18.5	12	4.5	SU002	SFL002	M6
SUFL003	17	71	56	7	7	14	7	46	20.5	13.5	5	SU003	SFL003	M6
SUFL004	20	90	71	8	8	16	10	55	24.5	16.5	6	SU004	SFL004	M8
SUFL005	25	95	75	8	8	16	10	60	25.5	17.5	6	SU005	SFL005	M8
SUFL006	30	112	85	9	9	18	13	70	26.5	18.5	6.5	SU006	SFL006	M10
SUFL007	35	122	95	10	10	20	13	80	29.5	20	7	SU007	SFL007	M10




Bearing Unit No.	Bore Dia d mm	Dimensions (mm)										Bearing No.	Housing No.	Bolt Used
		H	L	J	A	N	H1	H2	B1	B2	S			
SUP000	10	18	67	53	16	7	6	35	17.5	11	4	SU000	SP000	M6
SUP001	12	19	71	56	16	7	6	38	17.5	11	4	SU001	SP001	M6
SUP002	15	22	80	63	16	7	7	43	18.5	12	4.5	SU002	SP002	M6
SUP003	17	24	85	67	18	7	7	47	20.5	13.5	5	SU003	SP003	M6
SUP004	20	28	100	80	20	10	9	55	24.5	16.5	6	SU004	SP004	M8
SUP005	25	32	112	90	20	10	10	62	25.5	17.5	6	SU005	SP005	M8
SUP006	30	36	132	106	26	13	11	70	26.5	18.5	6.5	SU006	SP006	M10
SUP007	35	40	150	118	26	13	13	80	29.5	20	7	SU007	SP007	M10

Stainless Steel Pressing Bearing Units




Bearing Unit No	Bore Dia		Dimensions(mm)									Bearing No.	Housing No.	Weight (kg)
	d		h	a	e	b	s	g	w	n	Bi			
	in	mm												
SSBPP201 SSBPP201-8 SSBPP202 SSBPP202-9 SSBPP202-10 SSBPP203 SSBPP203-11	1/2 9/16 5/8 11/16	12 15 17	22.2	86	68	25	9.5	3	43.8	6	22	SSB201 SSB201-8 SSB202 SSB202-9 SSB202-10 SSB203 SSB203-11	SPP203	0.16
SSBPP204 SSBPP204-12	3/4	20	25.4	98	76	32	9.5	3	50.5	7	25	SSB204 SSB204-12	SPP204	0.21
SSBPP205 SSBPP205-13 SSBPP205-14 SSBPP205-15 SSBPP205-16	13/16 7/8 15/16 1	25	28.6	108	86	32	11.5	4	56.6	7.5	27	SSB205 SSB205-13 SSB205-14 SSB205-15 SSB205-16	SPP205	0.29
SSBPP206 SSBPP206-17 SSBPP206-18 SSBPP206-19 SSBPP206-20	1-1/16 1-1/8 1-3/16 1-1/4	30	33.3	117	95	38	11.5	4	66.3	8	30	SSB206 SSB206-17 SSB206-18 SSB206-19 SSB206-20	SPP206	0.45
SSBPP207 SSBPP207-20 SSBPP207-21 SSBPP207-22 SSBPP207-23	1-1/4 1-5/16 1-3/8 1-7/16	35	39.7	129	106	42	11.5	5	78	8.5	32	SSB207 SSB207-20 SSB207-21 SSB207-22 SSB207-23	SPP207	0.61
SSBPP208 SSBPP208-24 SSBPP208-25	1-1/2 1-9/16	40	43.7	148	120	43	13	5	85	9	34	SSB208 SSB208-24 SSB208-25	SPP208	0.75

Stainless Steel Pressing Bearing Units




Bearing Unit No	Bore Dia		Dimensions(mm)								Bearing No.	Housing No.	Weight (kg)
	d		a	e	1	b	t	s	n	Bi			
	in	mm											
SSBPFL201 SSBPFL201-8 SSBPFL202 SSBPFL202-9 SSBPFL202-10 SSBPFL203 SSBPFL203-11	1/2 9/16 5/8 11/16	12 15 17	81	63.5	14	59	4	7	6	22	SSB201 SSB201-8 SSB202 SSB202-9 SSB202-10 SSB203 SSB203-11	SPFL203	0.19
SSBPFL204 SSBPFL204-12	3/4	20	90	71.5	16	67	4	9	7	25	SSB204 SSB204-12	SPFL204	0.24
SSBPFL205 SSBPFL205-14 SSBPFL205-15 SSBPFL205-16	7/8 15/16 1	25	95	76	18	71	4	9	7.5	27	SSB205 SSB205-14 SSB205-15 SSB205-16	SPFL205	0.28
SSBPFL206 SSBPFL206-18 SSBPFL206-19 SSBPFL206-20	1-1/8 1-3/16 1-1/4	30	113	90.5	19	84	5	11	8	30	SSB206 SSB206-18 SSB206-19 SSB206-20	SPFL206	0.38
SSBPFL207 SSBPFL207-20 SSBPFL207-21 SSBPFL207-22 SSBPFL207-23	1-1/4 1-5/16 1-3/8 1-7/16	35	125	100	22	94	5	11	8.5	32	SSB207 SSB207-20 SSB207-21 SSB207-22 SSB207-23	SPFL207	0.65
SSBPFL208 SSBPFL208-24 SSBPFL208-25	1-1/2 1-9/16	40	148	119	23	110	7	14	9	34	SSB208 SSB208-24 SSB208-25	SPFL208	0.81

Plastic Bearing Units




Type	Bore Dia		Dimensions(mm)										Housing Weight(kg)	Bull. fiss Bolt Size
	d		h	a	e	b	S ₁	S ₂	g	W	Bi	n		
	in	mm												
UCPPL201	1/2	12	33.3	127	95	12	11	14	14.2	65.5	31	12.7	0.12	M10
UCPPL202	9/16 5/8	15	33.3	127	95	15	11	14	14.2	65.5	31	12.7	0.12	M10
UCPPL203	11/16	17	33.3	127	95	17	11	14	14.2	65.5	31	12.7	0.12	M10
UCPPL204	3/4	20	33.3	127	95	20	11	14	14.2	65.5	31	12.7	0.12	M10
UCPPL205	13/16 7/8 15/16 1	25	36.5	140.5	105	25	11	14	14.5	71.5	34.1	14.3	0.14	M10
UCPPL206	1-1/16 1-1/8 1-3/16 1-1/4	30	42.9	163.5	119	30	14	18	17.8	83.5	38.1	15.9	0.2	M12
UCPPL207	1-1/4 1-5/16 1-3/8 1-7/16	35	47.6	168	127	35	14	18	18	94.5	42.9	17.5	0.25	M12
UCPPL208	1-1/2 1-9/16	40	49.2	184	137	40	14	18	20	99	49.2	19	0.35	M12
UCPPL209	1-5/8 1-11/16 1-3/4	45	54	192	146	45	17	20	23	106	49.2	19	0.45	M16
UCPPL210	1-13/16 1-7/8 1-15/16 2	50	57.2	206	159	50	17	20	23	114	51.6	19	0.55	M16
UCPPL211	2 2-1/16 2-1/8 2-3/16	55	63.5	220	171	55	17	20	23	126	55.6	22.2	0.65	M16
UCPPL212	2-1/4 2-5/16 2-3/8 2-7/16	60	69.8	241	184	60	17	20	25	138	65.1	25.4	0.75	M16

Plastic Bearing Units




Type	Bore Dia		Dimensions(mm)									Housing Weight(kg)	Bull. fiss. Bolt Size
	d		a	e	g	L	S	1	Bi	n			
	in	mm											
UCFPL201	1/2	12	86	63.5	13.4	27.8	11	18	31	12.7	0.12	M10	
UCFPL202	9/16 5/8	15	86	63.5	13.4	27.8	11	18	31	12.7	0.12	M10	
UCFPL203	11/16	17	86	63.5	13.4	27.8	11	18	31	12.7	0.12	M10	
UCFPL204	3/4	20	86	63.5	13.4	27.8	11	18	31	12.7	0.12	M10	
UCFPL205	13/16 7/8 15/16 1	25	95	70	14.5	28	11	17	34.1	14.3	0.15	M10	
UCFPL206	1-1/16 1-1/8 1-3/16 1-1/4	30	107	83	14.5	31.5	11	19.2	38.1	15.9	0.18	M10	
UCFPL207	1-1/4 1-5/16 1-3/8 1-7/16	35	117	92	16	34.8	13	21.5	42.9	17.5	0.26	M12	
UCFPL208	1-1/2 1-9/16	40	129	102	17	36.5	14	23	49.2	19	0.33	M12	
UCFPL209	1-5/8 1-11/16 1-3/4	45	137	105	19	41	17	24	49.2	19	0.42	M16	
UCFPL210	1-13/16 1-7/8 1-15/16 2	50	143	111	20	42	17	25	51.6	19	0.51	M16	
UCFPL211	2 2-1/16 2-1/8 2-3/16	55	162	130	19.5	43	19	25	55.6	22.2	0.61	M18	
UCFPL212	2-1/4 2-5/16 2-3/8 2-7/16	60	175	143	19	48	19	29	65.1	25.4	0.72	M18	

Stainless Steel Pressing Bearing Units




Bearing Unit No	Bore Dia		Dimensions(mm)							Bearing No.	Housing No.	Weight (kg)
	d		a	e	l	t	s	n	Bi			
	in	mm										
SSBPF201 SSBPF201-8 SSBPF202 SSBPF202-9 SSBPF202-10 SSBPF203 SSBPF203-11	1/2 9/16 5/8 11/16	12 15 17	81	63	14	4	7	6	22	SSB201 SSB201-8 SSB202 SSB202-9 SSB202-10 SSB203 SSB203-11	SPF203	0.2
SSBPF204 SSBPF204-12	3/4	20	90	71	17	4	9	7	25	SSB204 SSB204-12	SPF204	0.25
SSBPF205 SSBPF205-14 SSBPF205-15 SSBPF205-16	7/8 15/16 1	25	95	76	18	4	9	7.5	27	SSB205 SSB205-14 SSB205-15 SSB205-16	SPF205	0.35
SSBPF206 SSBPF206-18 SSBPF206-19 SSBPF206-20	1-1/8 1-3/16 1-1/4	30	113	90	19	5	11	8	30	SSB206 SSB206-18 SSB206-19 SSB206-20	SPF206	0.54
SSBPF207 SSBPF207-20 SSBPF207-21 SSBPF207-22 SSBPF207-23	1-1/4 1-3/8 1-7/16	35	122	100	21	5	11	8.5	32	SSB207 SSB207-20 SSB207-21 SSB207-22 SSB207-23	SPF207	0.71
SSBPF208 SSBPF208-24 SSBPF208-25	1-1/2 1-9/16	40	148	119	21	7	14	9	34	SSB208 SSB208-24 SSB208-25	SPF208	1.15
SSBPF209 SSBPF209-26 SSBPF209-27 SSBPF209-28	1-5/8 1-11/16 1-3/4	45	149	120	24	7	13.5	9.5	36	SSB209 SSB209-26 SSB209-27 SSB209-28	SPF209	1.49
SSBPF210 SSBPF210-29 SSBPF210-30 SSBPF210-31 SSBPF210-32	1-13/16 1-7/8 1-15/16 2	50	157	127	24	8	13.5	10	38	SSB210 SSB210-29 SSB210-30 SSB210-31 SSB210-32	SPF210	1.74
SSBPF211 SSBPF211-32 SSBPF211-33 SSBPF211-34 SSBPF211-35	2 2-1/16 2-1/8 2-3/16	55	166	138.5	21	8	13.5	10.5	45.3	SSB211 SSB211-32 SSB211-33 SSB211-34 SSB211-35	SPF211	1.98
SSBPF212 SSBPF212-36 SSBPF212-37 SSBPF212-38 SSBPF212-39	2-1/4 2-5/16 2-3/8 2-7/16	60	177	148	28.5	8	13.5	11	49.8	SSB212 SSB212-36 SSB212-37 SSB212-38 SSB212-39	SPF212	2.35

Stainless Steel Pressing Bearing Units




Bearing Unit No	Bore Dia		Dimensions(mm)								Bearing No.	Housing No.	Weight (kg)
	d		a	e	1	t	W	s	n	Bi			
	in	mm											
SSBPFT201 SSBPFT201-8 SSBPFT202 SSBPFT202-9 SSBPFT202-10 SSBPFT203 SSBPFT203-11	1/2 9/16 5/8 11/16	12 15 17	81	63	14	4	29	7	6	22	SSB201 SSB201-8 SSB202 SSB202-9 SSB202-10 SSB203 SSB203-11	SPFT203	0.2
SSBPFT204 SSBPFT204-12	3/4	20	90	71	17	4	33	9	7	25	SSB204 SSB204-12	SPFT204	0.25
SSBPFT205 SSBPFT205-14 SSBPFT205-15 SSBPFT205-16	7/8 15/16 1	25	95	76	18	4	35	9	7.5	27	SSB205 SSB205-14 SSB205-15 SSB205-16	SPFT205	0.35
SSBPFT206 SSBPFT206-18 SSBPFT206-19 SSBPFT206-20	1-1/8 1-3/16 1-1/4	30	113	90	19	5	38	11	8	30	SSB206 SSB206-18 SSB206-19 SSB206-20	SPFT206	0.54
SSBPFT207 SSBPFT207-20 SSBPFT207-21 SSBPFT207-22 SSBPFT207-23	1-1/4 1-3/8 1-7/16	35	122	100	21	5	44	11	8.5	32	SSB207 SSB207-20 SSB207-21 SSB207-22 SSB207-23	SPFT207	0.71
SSBPFT208 SSBPFT208-24 SSBPFT208-25	1-1/2 1-9/16	40	148	119	21	7	50	14	9	34	SSB208 SSB208-24 SSB208-25	SPFT208	0.95

Plastic Bearing Units




Type	Bore Dia		Dimensions(mm)										Housing Weight(kg)	Bull. fiss Bolt Size
	d		a	e	b	g	1	s	1	Bi	n			
	in	mm												
UCFLPL201	1/2	12	113	90	64	11.4	26.5	11	15.4	31	12.7	0.08	M10	
UCFLPL202	9/16 5/8	15	113	90	64	11.4	26.5	11	15.4	31	12.7	0.08	M10	
UCFLPL203	11/16	17	113	90	64	11.4	26.5	11	15.4	31	12.7	0.08	M10	
UCFLPL204	3/4	20	113	90	64	11.4	26.5	11	15.4	31	12.7	0.08	M10	
UCFLPL205	13/16 7/8 15/16 1	25	131	99	70	14	29.5	11	17	34.1	14.3	0.1	M10	
UCFLPL206	1-1/16 1-1/8 1-3/16 1-1/4	30	148	117	80	14	30.5	11	19	38.1	15.9	0.13	M10	
UCFLPL207	1-1/4 1-5/16 1-3/8 1-7/16	35	164	130	90	16	32.8	13	18	42.9	17.5	0.16	M12	
UCFLPL208	1-1/2 1-9/16	40	175	144	99	20	37.5	14	21.5	49.2	19	0.24	M12	
UCFLPL209	1-5/8 1-11/16 1-3/4	45	188	148	108	21	41	17	24	49.2	19	0.32	M16	
UCFLPL210	1-13/16 1-7/8 1-15/16 2	50	197	157	115	21	42	17	25	51.6	19	0.42	M16	
UCFLPL211	2 2-1/16 2-1/8 2-3/16	55	224	184	128	18.5	43	19	25	55.6	22.2	0.55	M18	
UCFLPL212	2-1/4 2-5/16 2-3/8 2-7/16	60	250	202	139	24	48	19	29	65.1	25.4	0.7	M18	

Plastic Bearing Units




Type	Bore Dia	Dimensions(mm)											Housing Weight(kg)	Bull. fiss. Bolt Size
	d	a	p	e	i	f	N	g	j	k	Bi	S		
	mm													
UCFCPL204	20	100	78	55.1	10	62	11	20.5	5	7	31	12.7	0.13	M10
UCFCPL205	25	115	90	63.6	10	70	11	21	6	7	34.1	14.3	0.17	M10
UCFCPL206	30	125	100	70.7	10	80	11	23	8	8	38.1	15.9	0.19	M10
UCFCPL207	35	135	110	77.8	11	90	13	26	8	9	42.9	17.5	0.23	M12
UCFCPL208	40	145	120	84.8	11	100	13	26	10	9	49.2	19	0.28	M12

Plastic Bearing Units




Type	Bore Dia		Dimensions(mm)										Housing Weight(kg)	Bull. fiss. Bolt Size
	d		a	c	d	h	m	t	v	w	Bi	n		
	in	mm												
UCTPL201	1/2	12	102	27.5	12	64	76	35	88	47	31	12.7	0.16	M16
UCTPL202	9/16 5/8	15	102	27.5	12	64	76	35	88	47	31	12.7	0.16	M16
UCTPL203	11/16	17	102	27.5	12	64	76	35	88	47	31	12.7	0.16	M16
UCTPL204	3/4	20	102	27.5	12	64	76	35	88	47	31	12.7	0.16	M16
UCTPL205	13/16 7/8 15/16 1	25	102	27.5	12	64	76	35	88	47	34.1	14.3	0.17	M16
UCTPL206	1-1/16 1-1/8 1-3/16 1-1/4	30	126	34.5	12	76	89	40	102	63	38.1	15.9	0.22	M16
UCTPL207	1-1/4 1-5/16 1-3/8 1-7/16	35	125	34.5	12	76	89	40	102	63	42.9	17.5	0.26	M16
UCTPL208	1-1/2 1-9/16	40	140	38.5	16	85	102	40	114	80	49.2	19	0.38	M16
UCTPL209	1-5/8 1-11/16 1-3/4	45	149	40	16	90	102	50	117	85	49.2	19	0.48	M20
UCTPL210	1-13/16 1-7/8 1-15/16 2	50	149	40	16	90	102	50	117	85	51.6	19	0.52	M20

Plastic Bearing Units




Type	Bore Dia		Dimensions(mm)									Housing Weight(kg)	Bull. fiss. Bolt Size
	d		a	c	h	m	t	w	Bi	n			
	in	mm											
UCECHPL201	1/2	12	101	27.5	64	65	35	47	31	12.7	0.15	M16	
UCECHPL202	9/16 5/8	15	101	27.5	64	65	35	47	31	12.7	0.15	M16	
UCECHPL203	11/16	17	101	27.5	64	65	35	47	31	12.7	0.15	M16	
UCECHPL204	3/4	20	101	27.5	64	65	35	47	31	12.7	0.15	M16	
UCECHPL205	13/16 7/8 15/16 1	25	101	27.5	64	74	35	47	34.1	14.3	0.16	M16	
UCECHPL206	1-1/16 1-1/8 1-3/16 1-1/4	30	125	34.5	76	90	40	63	38.1	15.9	0.21	M16	
UCECHPL207	1-1/4 1-5/16 1-3/8 1-7/16	35	125	34.5	76	90	40	63	42.9	17.5	0.25	M16	
UCECHPL208	1-1/2 1-9/16	40	140	38.5	85	100	39.5	80	49.2	19	0.36	M16	
UCECHPL209	1-5/8 1-11/16 1-3/4	45	149	40	90	110	50	85	49.2	19	0.45	M20	
UCECHPL210	1-13/16 1-7/8 1-15/16 2	50	149	40	90	110	50	85	51.6	19	0.49	M20	

Plastic Bearing Units




Type	Bore Dia		Dimensions(mm)							Housing Weight(kg)	Bull. fiss. Bolt Size
	d		h	b	w	e	a	Bi	n		
	in	mm									
UCPAPL201	1/2	12	33.3	35	66.5	50.8	74	31	12.7	0.13	M8
UCPAPL202	9/16 5/8	15	33.3	35	66.5	50.8	74	31	12.7	0.13	M8
UCPAPL203	11/16	17	33.3	35	66.5	50.8	74	31	12.7	0.13	M8
UCPAPL204	3/4	20	33.3	35	66.5	50.8	74	31	12.7	0.13	M8
UCPAPL205	13/16 7/8 15/16 1	25	36.5	39.5	74	50.8	76.5	34.1	14.3	0.15	M10
UCPAPL206	1-1/16 1-1/8 1-3/16 1-1/4	30	42.9	42.5	84.5	76.2	102	38.1	15.9	0.24	M10
UCPAPL207	1-1/4 1-5/16 1-3/8 1-7/16	35	47.6	47.5	95	82.6	109.5	42.9	17.5	0.28	M10
UCPAPL208	1-1/2 1-9/16	40	49.2	48	100.5	88.9	121	49.2	19	0.39	M12
UCPAPL209	1-5/8 1-11/16 1-3/4	45	54	50	107	95.3	124	49.2	19	0.47	M12
UCPAPL210	1-13/16 1-7/8 1-15/16 2	50	57.2	54	115	101.6	135	51.6	19	0.56	M16
UCPAPL211	2 2-1/16 2-1/8 2-3/16	55	63.5	66	125	104	140	55.6	22.2	0.71	M20
UCPAPL212	2-1/4 2-5/16 2-3/8 2-7/16	60	69.9	68	138	114	150	65.1	25.4	0.8	M20

Plastic Bearing Units




Type	Bore Dia		Dimensions(mm)													Housing Weight (kg)	Bull. fiss. Bolt Size
	d		a	e	h	w	s	f	c	b	l	g	i	n	Bi		
	in	mm															
UCFBPL201	1/2	12	62	38.1	76.5	108.5	11	22.2	42.9	62	26.5	12	15.4	12.7	31	0.1	M10
UCFBPL202	9/16 5/8	15	62	38.1	76.5	108.5	11	22.2	42.9	62	26.5	12	15.4	12.7	31	0.1	M10
UCFBPL203	11/16	17	62	38.1	76.5	108.5	11	22.2	42.9	62	26.5	12	15.4	12.7	31	0.1	M10
UCFBPL204	3/4	20	62	38.1	76.5	108.5	11	22.2	42.9	62	26.5	12	15.4	12.7	31	0.1	M10
UCFBPL205	13/16 7/8 15/16 1	25	63.5	41.3	85.7	120.6	11	28.6	46	69	33.5	12	21	14.3	34.1	0.12	M10
UCFBPL206	1-1/16 1-1/8 1-3/16 1-1/4	30	75	47.6	98.5	140	11	31.8	52.4	82	31.5	14	19	15.9	38.1	0.16	M10
UCFBPL207	1-1/4 1-5/16 1-3/8 1-7/16	35	89	50.8	110	158	13	31.8	60.3	94	36.5	17	21.4	17.5	42.9	0.18	M12
UCFBPL208	1-1/2 1-9/16	40	78	50	114	164	13	41.3	60.3	100	35.7	18	21.4	19	49.2	0.23	M12

Stainless Steel Insert Ball Bearing





B-type Seal



L3-type Seal

Bearing No.	Bore Dia		Dimensions(mm)									Basic Load Rating(kN)	Basic Static Rating Load (kN)	Weight (kg)
	d		D	Bi	Be	r	N	M	G	ds	T			
	in	mm												
SUC201S	1/2 5/8 11/16	12	40	26	15	1	10	16	4	M5×0.8	3.5	7.65	3.60	0.12
SUC201-8S		10-32								0.12				
SUC202S		M5×0.8								0.11				
SUC202-10S		10-32								0.11				
SUC203S		M5×0.8								0.10				
SUC203-11S		10-32								0.10				
SUC201	1/2 5/8 11/16 3/4	12	47	31	16(420) 17(440)	1	12.7	18.3	4.7	M6×0.75	4.0	10.37	5.08	0.21
SUC201-8		1/4-28								0.20				
SUC202		M6×0.75								0.19				
SUC202-10		1/4-28								0.19				
SUC203		M6×0.75								0.18				
SUC203-11		1/4-28								0.18				
SUC204		M6×0.75								0.16				
SUC204-12		1/4-28								0.16				
SUC205		M6×0.75								0.19				
SUC205-14	7/8 15/16 1	25	52	34.1	17	1.5	14.3	19.8	5	1/4-28	4.2	11.31	6.00	0.22
SUC205-15														0.20
SUC205-16														0.19
SUC206	1-1/16 1-1/8 1-3/16 1-1/4	30	62	38.1	19	1.5	15.9	22.2	5	M6×0.75	5.0	15.81	8.64	0.31
SUC206-17										1/4-28				0.36
SUC206-18														0.34
SUC206-19														0.32
SUC206-20														0.31
SUC207	1-1/4 1-5/16 1-3/8 1-7/16	35	72	42.9	20	2.0	17.5	25.4	7	M8×1	5.7	20.83	11.68	0.46
SUC207-20										5/16-24				0.52
SUC207-21														0.50
SUC207-22														0.48
SUC207-23														0.46
SUC208	1-1/2 1-9/16	40	80	49.2	21	2.0	19.0	30.2	8	M8×1	6.3	23.55	13.60	0.63
SUC208-24										5/16-24				0.68
SUC208-25														0.64
SUC209	1-5/8 1-11/16 1-3/4	45	85	49.2	22	2.0	19.0	30.2	8	M8×1	6.3	26.35	15.60	0.70
SUC209-26										5/16-24				0.78
SUC209-27														0.74
SUC209-28														0.70
SUC210	1-13/16 1-7/8 1-15/16 2	50	90	51.6	24	2.0	19.0	32.6	10	M10×1.25	6.6	28.48	18	0.78
SUC210-29										3/8-24				0.89
SUC210-30														0.85
SUC210-31														0.80
SUC210-32														0.78
SUC211	2 2-1/16 2-1/8 2-3/16	55	100	55.6	25	2.5	22.2	33.4	10	M10×1.25	7	35.28	22.4	1.07
SUC211-32										3/8-24				1.22
SUC211-33														1.18
SUC211-34														1.10
SUC211-35														1.05
SUC212	2-1/4 2-5/16 2-3/8 2-7/16	60	110	65.1	27	2.5	25.4	39.7	10	M10×1.25	7	42.5	26.34	1.52
SUC212-36										3/8-24				1.65
SUC212-37														1.55
SUC212-38														1.49
SUC212-39														1.42
SUC213	2-1/2 2-9/16	65	120	65.1	30	2.5	25.4	39.7	10	M10×1.25	8.5	46.5	30.4	1.80
SUC213-40										3/8-24				1.88
SUC213-41														1.80
SUC214	2-5/8 2-11/16 2-3/4	70	125	74.6	30	2.5	30.2	44.4	12	M12×1.5	8.9	50.15	33.6	2.06
SUC214-42										7/16-20				2.10
SUC214-43														2.08
SUC214-44														2.07
SUC215	2-13/16 2-7/8 2-15/16 3	75	130	77.8	32	2.5	33.3	44.5	12	M12×1.5	9.2	53.55	37.6	2.19
SUC215-45										7/16-20				2.41
SUC215-46														2.31
SUC215-48														2.21
SUC215-47														2.11
SUC216	3-1/8	80	140	82.6	33	3	33.3	49.3	14	M12×1.5	9.6	58.65	40.8	2.82
SUC216-50										7/16-20				2.90
SUC217										3-1/4				85
SUC217-52	7/16-20	3.56												
SUC218	3-1/2	90	160	96	37	3	39.7	56.3	15		M12×1.5	11	77.52	
SUC218-56										7/16-20	4.62			

Stainless Steel Insert Ball Bearing




B-type Seal



L3-type Seal


Bearing No.	Bore Dia		Dimensions(mm)									Basic Load Rating(kN)	Basic Static Rating Load (kN)	Weight (kg)
	d		D	Bi	Be	r	N	M	G	ds	T			
	in	mm												
SUC305 SUC305-14 SUC305-15 SUC305-16	7/8 15/16 1	25	62	38	21	2	15	23	6.0	M6×0.75	6.1	14.71	9.21	0.35 0.39 0.37 0.35
SUC306 SUC306-18 SUC306-19	1-1/8 1-3/16	30	72	43	23	2	17	26	6.0	M6×0.75	6.7	18.47	12.66	0.56 0.60 0.54
SUC307 SUC307-20 SUC307-21 SUC307-22	1-1/4 1-5/16 1-3/8	35	80	48	25	2.5	19.0	29	8.0	M8×1	7.4	21.89	14.66	0.75 0.81 0.79 0.75
SUC308 SUC308-24 SUC308-25	1-1/2 1-9/16	40	90	52	27	2.5	19.0	33	10	M10×1.25	8.2	26.65	19.21	1.00 1.07 1.00
SUC309 SUC309-26 SUC309-27 SUC309-28	1-5/8 1-11/16 1-3/4	45	100	57	30	2.5	22	35	10	M10×1.25	9	34.56	25.46	1.26 1.39 1.33 1.28
SUC310 SUC310-30 SUC310-31	1-7/8 1-15/16	50	110	61	32	3	22	39	12	M12×1.5	10	40.44	30.35	1.65 1.75 1.67
SUC311 SUC311-32 SUC311-34 SUC311-35	2 2-1/8 2-3/16	55	120	66	34	3	25	41	12	M12×1.5	10.7	46.79	35.81	2.10 2.30 2.20 2.00
SUC312 SUC312-36 SUC312-38 SUC312-39	2-1/4 2-3/8 2-7/16	60	130	71	36	3.5	26	45	12	M12×1.5	11.5	53.45	41.48	2.50 2.80 2.60 2.60
SUC313 SUC313-40	2-1/2	65	140	75	38	3.5	30	45	12	M12×1.5	12.2	60.64	47.74	3.32 3.46
SUC314 SUC314-44	2-3/4	70	150	78	40	3.5	33	45	12	M12×1.5	13	68.09	54.43	3.90 3.90
SUC315 SUC315-48	3	75	160	82	42	3.5	32	50	14	M14×1.5	13.8	74.05	57.07	4.18 4.33
SUC316 SUC316-50	3-1/8	80	170	86	44	3.5	34	52	14	M14×1.5	14.5	80.38	65.30	5.04 5.10
SUC317 SUC317-52	3-1/4	85	180	96	46	4	40	56	16	M16×1.5	15	86.72	71.58	6.60 6.85
SUC318 SUC318-56	3-1/2	90	190	96	48	4	40	56	16	M16×1.5	15.9	94.13	80.75	7.45 7.56
SUC320 SUC320-64	4	100	215	108	54	4	42	66	18	M18×1.5	18	119.12	100.35	10.18 9.96

Stainless Steel Insert Ball Bearing




Bearing No.	Bore Dia		Dimensions(mm)										Basic Load Rating(kN)	Basic Static Rating Load (kN)	Weight (kg)	
	d		D	Bi	Be	N	M	T	L	W	K	G				ds
	in	mm														
SHC201	1/2	12	47	29.8	16(420) 17(440)	12.7	17.1	4	39.3	33.3	13.5	5	M6×0.75	10.91	5.32	0.22
SHC201-8		15											1/4-28			0.22
SHC202	5/8	15											M6×0.75			0.19
SHC202-10		17											1/4-28			0.19
SHC203	11/16	17											M6×0.75			0.18
SHC203-11		20											1/4-28			0.18
SHC204	3/4	20											M6×0.75			0.17
SHC204-12		25											1/4-28			0.17
SHC205	7/8 15/16 1	25	52	31.7	17	14.3	17.4	4.2	41.2	38.1	13.5	5	M6×0.75	11.16	6	0.20
SHC205-14		15/16											1/4-28			0.24
SHC205-15		1											1/4-28			0.23
SHC205-16													0.21			
SHC206	1-1/16 1-1/8 1-3/16 1-1/4	30	62	34.1	19	15.9	18.2	5.0	46	44.5	15.9	6	M8×1	15.81	8.64	0.30
SHC206-17																
SHC206-18																
SHC206-19																
SHC206-20																
SHC207	1-1/4 1-5/16 1-3/8 1-7/16	35	72	36.3	20	17.5	18.8	5.7	49.8	55.6	17.5	6.5	M8×1	20.83	11.68	0.54
SHC207-20																
SHC207-21																
SHC207-22																
SHC207-23																
SHC208	1-1/2 1-9/16	40	80	40.4	21	19	21.4	6.3	53.9	60.3	18.3	6.5	M8×1	23.55	13.6	0.69
SHC208-24																
SHC208-25																
SHC209	1-5/8 1-11/16 1-3/4	45	85	40.5	22	19.1	21.4	6.3	54	63.5	18.3	6.5	M8×1	26.35	15.6	0.75
SHC209-26																
SHC209-27																
SHC209-28																
SHC210	1-3/16 1-7/8 1-15/16 2	50	90	43.6	24	19	24.6	6.6	57.1	69.9	18.3	6.5	M8×1	28.48	18	1.03
SHC210-29																
SHC210-30																
SHC210-31																
SHC210-32																
SHC211	2 2-1/16 2-1/8 2-3/16	55	100	49.9	25	22.2	27.8	7.0	65.8	76.2	20.7	8	M10×1.25	35.28	22.4	1.30
SHC211-32																
SHC211-33																
SHC211-34																
SHC211-35																
SHC212	2-1/4 2-5/16 2-3/8 2-7/16	60	110	56.3	27	35.4	30.95	7.0	72.2	84.2	22.3	8	M10×1.25	42.5	27.6	1.60
SHC212-36																
SHC212-37																
SHC212-38																
SHC212-39																

Stainless Steel Insert Ball Bearing




Bearing Unit No	Bore Dia		Dimensions(mm)										Basic Load Rating(kN)	Basic Static Rating Load (kN)	Weight (kg)		
	d		D	Bi	Be	N	M	T	P	J	A	G				ds	
	in	mm															
SSER201	1/2	12	47	31.0	15.9	12.7	18.3	4.0	52.7	2.4	1.07	4.7	M6×0.75	8.4	4.96	0.27	
SSER201-8		1/4-28											0.27				
SSER202	5/8	15											M6×0.75			0.25	
SSER202-10		1/4-28											0.24				
SSER203	11/16	17											M6×0.75			0.23	
SSER203-11		1/4-28											0.23				
SSER204	3/4	20											M6×0.75			0.20	
SSER204-12		1/4-28											0.22				
SSER205	7/8	25	52	34.1	19	14.3	19.8	4.3	57.9	2.4	1.07	5.0	M6×0.75	9.163	5.58	0.21	
SSER205-14													15/16			0.23	
SSER205-15													1			1/4-28	0.22
SSER205-16																0.20	
SSER206	1-1/16	30	62	38.1	22.2	15.9	22.2	5.5	67.7	3.2	1.65	5.0	M6×0.75	12.72	8.03	0.35	
SSER206-17													1-1/8				0.38
SSER206-18		1-3/16											0.37				
SSER206-19		1-1/4											0.35				
SSER206-20													0.35				
SSER207	1-1/4	35	72	42.9	23.8	17.5	25.4	6.0	78.6	3.2	1.65	7.0	M8×1	16.79	10.94	0.51	
SSER207-20													1-5/16			0.56	
SSER207-21													1-3/8			0.54	
SSER207-22													1-7/16			0.52	
SSER207-23																0.48	
SSER208	1-1/2	40	80	49.2	27.8	19.0	30.2	7.5	86.6	3.2	1.65	8.0	M8×1	19.30	12.75	0.68	
SSER208-24													5/16-24			0.72	
SSER208-25	1-9/16															0.68	
SSER209	1-5/8	45	85	49.2	27.8	19.0	30.2	7.5	91.6	3.2	1.65	8.0	M8×1	20.71	14.17	0.81	
SSER209-26													1-11/16			0.90	
SSER209-27													1-3/4			0.80	
SSER209-28																0.82	
SSER210	1-13/16	50	90	51.6	28.6	19.0	32.6	7.5	96.5	3.2	2.41	10	M10×1.25	22.93	15.87	0.86	
SSER210-29													1-7/8			0.94	
SSER210-30													1-15/16			0.92	
SSER210-31													2			0.87	
SSER210-32																0.85	
SSER211	2	55	100	55.6	30.2	22.2	33.4	7.5	106.5	3.2	2.41	10	M10×1.25	28.36	20.09	1.15	
SSER211-32													2-1/16			1.28	
SSER211-33													2-1/8			1.24	
SSER211-34													2-3/16			1.18	
SSER211-35																1.12	
SSER212	2-1/4	60	110	65.1	31.8	25.4	39.7	8.5	116.6	3.2	2.41	10	M10×1.25	31.23	22.38	1.58	
SSER212-36													2-5/16			1.70	
SSER212-37													2-3/8			1.62	
SSER212-38													2-7/16			1.56	
SSER212-39																1.48	
SSER213	2-1/2	65	120	65.1	34.9	25.4	39.7	9.5	127.2	4.0	2.77	10	M10×1.25	48.63	32	2.08	
SSER213-40													2-9/16				3/8-24
SSER213-41																	
SSER214	2-5/8	70	125	74.6	34.9	30.2	44.4	9.5	132.5	4.0	2.77	12	M12×1.5	51.71	36.02	2.51	
SSER214-42													2-11/16				7/16-20
SSER214-43													2-3/4				
SSER214-44																	
SSER215	2-13/16	75	130	77.8	38.1	33.3	44.5	9.5	139.7	4.0	2.77	12	M12×1.5	56.19	39.6	2.86	
SSER215-45													2-7/8				
SSER215-46													2-15/16				
SSER215-47													3				
SSER215-48																	

Stainless Steel Insert Ball Bearing




Bearing No.	Bore Dia		Dimensions(mm)										Basic Load Rating(kN)	Static Load Rating (kN)	Weight (kg)	
	d		D	Bi	Be	r	N	M	L	W	K	G				ds
	in	mm														
SSA201	1/2	12	40	19.1	12	0.8	6	13.1	28.6	28.6	13.5	5	M6×0.75	7.84	3.58	0.12
SSA201-8		15											0.14			
SSA202	5/8	15											0.11			
SSA202-10		17											0.13			
SSA203	11/16	17											0.10			
SSA203-11		17											0.12			
SSA204	3/4	20	47	21.5	14	1	7	14.5	31	33.3	13.5	5	M6×0.75	10.37	5.04	0.15
SSA204-12		20											0.16			
SSA205	7/8	25	52	21.5	15	1.2	7.5	14	31	38.1	13.5	5	M6×0.75	11.31	5.97	0.18
SSA205-14		25											0.21			
SSA205-15		25											0.19			
SSA205-16	1	25											1/4-28			0.18
SSA206	1-1/16	30	62	23.8	16	1.2	8	15.8	35.7	44.5	15.9	6	M8×1	15.73	8.64	0.30
SSA206-17		30											0.34			
SSA206-18		30											0.32			
SSA206-19		30											0.30			
SSA206-20		30											0.29			
SSA207	1-1/4	35	72	25.4	17	1.5	8.5	16.9	38.9	55.6	17.5	6.5	M8×1	20.83	11.68	0.50
SSA207-20		35											0.55			
SSA207-21		35											0.53			
SSA207-22		35											0.50			
SSA207-23		35											0.47			
SSA208	1-1/2	40	80	30.2	18	1.5	9	21.2	43.7	60.3	18.3	6.5	M8×1	23.55	13.6	0.63
SSA208-24		40											0.67			
SSA208-25	1-9/16	40											5/16-24			0.65
SSA209	1-5/8	45	85	30.2	19	1.8	9.5	20.7	43.7	63.5	18.3	6.5	M8×1	26.44	19.56	0.66
SSA209-26		45											0.74			
SSA209-27		45											0.72			
SSA209-28		45											0.67			
SSA210	1-13/16	50	90	30.2	20	1.8	10	20.2	43.7	69.9	18.3	6.5	M8×1	30.01	22.53	0.80
SSA210-29		50											0.90			
SSA210-30		50											0.86			
SSA210-31		50											0.83			
SSA210-32		50											0.79			
SSA211	2	55	100	32.5	21	2	10.5	22	48.4	76.2	20.7	8	M10×1.25	32.39	24	0.77
SSA211-32		55											0.95			
SSA211-33		55											0.91			
SSA211-34		55											0.86			
SSA211-35		55											0.81			
SSA212	2-1/4	60	110	37.2	22	2	11	26.2	53.1	84.2	22.3	8	M10×1.25	35.28	26.18	0.99
SSA212-36		60											1.00			
SSA212-37		60											1.00			
SSA212-38		60											0.99			
SSA212-39		60											0.98			

Stainless Steel Insert Ball Bearing



Bearing No.	Bore Dia		Dimensions(mm)								Basic Load Rating(kN)	Basic Static Rating Load (kN)	Weight (kg)	
	d		D	Bi	Be	r	N	M	G	ds				
	in	mm												
SSB201	1/2	12	40	22	12	1	6	16	4.5	M5×0.8	7.82	3.58	0.10	
SSB201-8		10-32								0.10				
SSB202		M5×0.8								0.09				
SSB202-10		10-32								0.09				
SSB203		M5×0.8								0.08				
SSB203-11	11/16	17								10-32			0.08	
SSB204	3/4	20	47	25	14	1	7	18	5	M6×0.75	10.37	5.04	0.12	
SSB204-12		1/4-28								0.13				
SSB205	7/8	25	52	27	15	1.2	7.5	19.5	5.5	M6×0.75	11.31	5.97	0.17	
SSB205-14														
SSB205-15		1/4-28												
SSB205-16		1												
SSB206	1-1/16	30	62	30	16	1.2	8	22	6	M6×0.75	15.73	8.64	0.25	
SSB206-17														
SSB206-18		1/4-28												
SSB206-19														
SSB206-20		1-1/4												
SSB207	1-1/4	35	72	32	17	1.5	8.5	23.5	6	M8×1	20.83	11.68	0.37	
SSB207-20														
SSB207-21		1/4-28												
SSB207-22														
SSB207-23		1-7/16												
SSB208	1-1/2	40	80	34	18	1.5	9	25	7	M8×1	23.55	13.6	0.45	
SSB208-24														
SSB208-25		5/16-24												
SSB209	1-5/8	45	85	41.2	19	1.5	10.2	31	8	M8×1	26.44	19.56	0.8	
SSB209-26														
SSB209-27		5/16-24												
SSB209-28		1-11/16												
SSB210	1-13/16	50	90	43.5	20	1.5	10.9	32.6	9.5	M8×1	30.01	22.53	0.87	
SSB210-29														
SSB210-30		5/16-24												
SSB210-31														
SSB210-32	2													
SSB211	2	55	100	45.3	21	1.5	11.8	33.5	10	M10×1.25	32.39	24	1.1	
SSB211-32														
SSB211-33		5/16-24												
SSB211-34														
SSB211-35		2-3/16												
SSB212	2-1/4	60	110	53.7	22	1.8	14.9	38.8	10	M10×1.25	35.28	26.18	1.3	
SSB212-36														
SSB212-37		5/16-24												
SSB212-38														
SSB212-39		2-7/16												

Stainless Steel Insert Ball Bearing



Bearing No.	Bore Dia	Dimensions(mm)					Basic Load Rating(kN)	Basic Static Load(kN)	Weight (kg)
	d mm	D	Bi	C	N	M			
SK000	10	26	14	8	4	10	3.9	1.55	0.022
SK001	12	28	14.5	8	4	10.5	4.3	1.9	0.024
SK002	15	32	16.5	9	4.5	12	4.75	2.25	0.034
SK003	17	35	17.5	10	5	12.5	5.1	2.65	0.047
SK004	20	42	21.0	12	6	15.0	7.9	4.00	0.081
SK005	25	47	22.5	12	6	16.5	8.6	4.65	0.10
SK006	30	55	24.5	13	6.5	18	11.3	6.6	0.145
SK007	31	56	29.5	14	7.0	22.5	13.6	8.0	0.205

Bearing No.	Bore Dia	Dimensions(mm)								Basic dynamic load ratings (KN)	Basic static load ratings (KN)	Weight (kg)
	d mm	D	Bi	C	N	K	W	L	ds			
SU000	10	26	11	8	4	8.5	17	17.5	M4×0.7	3.90	1.55	0.027
SU001	12	28	11	8	4	8.5	19	17.5	M4×0.7	4.30	1.90	0.031
SU002	15	32	12	9	4.5	8.5	22	18.5	M4×0.7	4.75	2.25	0.040
SU003	17	35	13.5	10	5	9.5	25	20.5	M4×0.7	5.10	2.65	0.057
SU004	20	42	16.5	12	6	11	30	24.5	M5×0.8	7.90	4.00	0.097
SU005	25	47	17.5	12	6	12	36	25.5	M5×0.8	8.60	4.65	0.121
SU006	30	55	18.5	13	6.5	12	42	26.5	M5×0.8	11.30	6.60	0.171
SU007	35	62	20	14	7	13.5	48	29.5	M6×1	13.60	8.80	0.250

